



F&F

Bearing Co. LLC.

BELT

INDUSTRIAL & AUTOMOTIVE PRODUCTS



Phone: **419-524-1700**
Fax: **419-524-2080**

201 E. Fifth Street
Mansfield, Ohio 44902





Table of Contents

Mission Statement.....	2
Technical Data Industrial Belt.....	3--6
IPT Classic Industrial "A" Section Belting.....	7--8
IPT Classic Industrial "B" Section Belting.....	9--10
IPT Classic Industrial "C" Section Belting.....	11--12
IPT Classic Industrial "D" Section Belting.....	13
IPT Machine Power "3L" Section Belting.....	14
IPT Machine Power "4L" Section Belting.....	15
IPT Machine Power "5L" Industrial Section Belting.....	16
IPT Classic Industrial V Belts "AX" Section Belting.....	17
IPT Classic Industrial V Belts "BX" Section Belting.....	18
IPT High-V Industrial V Belts "3V", "5V" Section Belting.....	19
IPT High-V Industrial V Belts "8V" Section Belting.....	20
IPT High-V Industrial V Belts "3VX", "5VX" Section Belting.....	21
IPT Cut-Wedge V Belt THREE V Super Power "A-CW" Section Belting.....	22
IPT Cut-Wedge V Belt THREE V Super Power "B-CW" Section Belting.....	23
IPT Double "AA & "BB" V Industrial Belt.....	24
IPT Double "CC" V Industrial Belt.....	25
IPT Tork-Banded "B" Section Industrial Belting.....	26
IPT Tork-Banded "C" Section Industrial Belting.....	27
IPT Tork-Banded "D" Section Industrial Belting.....	28
IPT Tork-Banded "3V" Section Industrial Belting.....	28
IPT Tork-Banded "5V" Section Industrial Belting.....	29
IPT Tork-Banded "3VX" Section Industrial Belting.....	29
IPT Tork-Banded "5VX" Section Industrial Belting.....	30
IPT Powersinc Timing Belt "XL" Profile.....	31--32
IPT Powersinc Timing Belt "L" Profile.....	33-34
IPT Powersinc Timing Belt "H" Profile.....	35--36
IPT Powersinc HT Timing Belt "5M" Profile.....	37--38
IPT Powersinc HT Timing Belt "8M" Profile.....	39--43
IPT Powersinc HT Timing Belt "14M" Profile.....	44--45
Terms & Conditions.....	46
Notes.....	47--48



MISSION STATEMENT

F&F Bearing Company mission is to supply our customers with the highest power transmission belts at the most competitive prices in the industry and to deliver and support these products with the optimum level of service that our customers deserve.



INDUSTRIAL "V" BELT TECHNICAL DATA



IPT Classic Industrial "V" Belt

Profile	Upper Width	Height	Angle
A	0.500"	0.312"	40
B	0.656"	0.406"	40
C	0.875"	0.531"	40
D	1.250"	0.750"	40




IPT Machine Power "V" Belt "2L", "3L", "4L", "5L"

Profile	Upper Width	Height	Angle
2L	0.250"	0.125"	40
3L	0.375"	0.219"	40
4L	0.500"	0.312"	40
5L	0.656"	0.375"	40



IPT High-V Industrial "V" Belt "3V", "5V", "8V"

Profile	Upper Width	Height	Angle
3V	0.375"	0.328"	40
5V	0.625"	0.547"	40
8V	1.000"	0.875"	40



IPT Double V Industrial "V" Belt


Profile	Upper Width	Height	Angle
AA	0.500"	0.405"	40
BB	0.656"	0.531"	40
CC	0.875"	0.688"	40




INDUSTRIAL "V" BELT TECHNICAL DATA




<i>IPT Tork-Banded Industrial "V" Belt</i>			
Profile	Pitch	Height	Angle
A	0.614"	0.312"	40
B	0.748"	0.406"	40
C	1.000"	0.531"	40
D	1.460"	0.750"	40
3V	0.406"	0.328"	40
5V	0.689"	0.547"	40
8V	1.125"	0.875"	40



<i>IPT Machine-Power Cogged Industrial "V" Belt</i>			
Profile	Upper Width	Height	Angle
AX	0.500"	0.312"	40
BX	0.656"	0.406"	40
CX	0.875"	0.531"	40



<i>IPT High-V Industrial "V" Belts "3VX", "5VX"</i>			
Profile	Upper Width	Height	Angle
3VX	0.375"	0.328"	40
5VX	0.625"	0.547"	40




<i>IPT Maxi-Power Cogged Banded Industrial "V" Belt</i>			
Profile	Pitch	Height	Angle
AX	0.614"	0.312"	40
BX	0.748"	0.406"	40
3VX	0.406"	0.328"	40
5VX	0.689"	0.547"	40





CUT-WEDGE
THREE V SUPER POWER Industrial "V" Belt

Profile	Upper Width	Height	Angle
A	0.500"	0.312"	40
B	0.656"	0.406"	40
C	0.875"	0.531"	40


INDUSTRIAL TIMING BELT TECHNICAL DATA



IPT POWERSINC TIMING BELT
Nominal Dimensions




IPT POWERSINC HT TIMING BELT
Nominal Dimensions





IPT TOTAL POWER VARIABLE SPEED BELT
Nominal Dimensions



Total Width= in 1/16 of inches
Pitch Length= in inches
Angle= degrees



F & F BEARING COMPANY



Upper Width - 1/2"

Height - 5/16"

O.C.L. - Outside Circle Length

CLASSIC INDUSTRIAL 'A' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
A 14	1/2"X16"	0.09	1.34	A 53	1/2"X55"	0.34	5.08	A 92	1/2"X94"	0.59	8.81
A 15	1/2"X17"	0.10	1.44	A 54	1/2"X56"	0.35	5.17	A 93	1/2"X95"	0.60	8.91
A 16	1/2"X18"	0.10	1.53	A 55	1/2"X57"	0.36	5.27	A 94	1/2"X96"	0.61	9.00
A 17	1/2"X19"	0.11	1.63	A 56	1/2"X58"	0.36	5.36	A 95	1/2"X97"	0.61	9.10
A 18	1/2"X20"	0.12	1.72	A 57	1/2"X59"	0.37	5.46	A 96	1/2"X98"	0.62	9.19
A 19	1/2"X21"	0.12	1.82	A 58	1/2"X60"	0.37	5.55	A 97	1/2"X99"	0.63	9.29
A 20	1/2"X22"	0.13	1.92	A 59	1/2"X61"	0.38	5.65	A 98	1/2"X100"	0.63	9.38
A 21	1/2"X23"	0.14	2.01	A 60	1/2"X62"	0.39	5.75	A 99	1/2"X101"	0.64	9.48
A 22	1/2"X24"	0.14	2.11	A 61	1/2"X63"	0.39	5.84	A 100	1/2"X102"	0.65	9.58
A 23	1/2"X25"	0.15	2.20	A 62	1/2"X64"	0.40	5.94	A 102	1/2"X104"	0.66	9.77
A 24	1/2"X26"	0.16	2.30	A 63	1/2"X65"	0.41	6.03	A 103	1/2"X105"	0.67	9.86
A 25	1/2"X27"	0.16	2.39	A 64	1/2"X66"	0.41	6.13	A 104	1/2"X106"	0.67	9.96
A 26	1/2"X28"	0.17	2.49	A 65	1/2"X67"	0.42	6.22	A 105	1/2"X107"	0.68	10.06
A 27	1/2"X29"	0.17	2.59	A 66	1/2"X68"	0.43	6.32	A 106	1/2"X108"	0.68	10.15
A 28	1/2"X30"	0.18	2.68	A 67	1/2"X69"	0.43	6.42	A 107	1/2"X109"	0.69	10.25
A 29	1/2"X31"	0.19	2.78	A 68	1/2"X70"	0.44	6.51	A 108	1/2"X110"	0.70	10.34
A 30	1/2"X32"	0.19	2.87	A 69	1/2"X71"	0.45	6.61	A 109	1/2"X111"	0.70	10.44
A 31	1/2"X33"	0.20	2.97	A 70	1/2"X72"	0.45	6.70	A 110	1/2"X112"	0.71	10.53
A 32	1/2"X34"	0.21	3.06	A 71	1/2"X73"	0.46	6.80	A 111	1/2"X113"	0.72	10.63
A 33	1/2"X35"	0.21	3.16	A 72	1/2"X74"	0.47	6.90	A 112	1/2"X114"	0.72	10.73
A 34	1/2"X36"	0.22	3.26	A 73	1/2"X75"	0.47	6.99	A 113	1/2"X115"	0.73	10.82
A 35	1/2"X37"	0.23	3.35	A 74	1/2"X76"	0.48	7.09	A 114	1/2"X116"	0.74	10.92
A 36	1/2"X38"	0.23	3.45	A 75	1/2"X77"	0.48	7.18	A 115	1/2"X117"	0.74	11.01
A 37	1/2"X39"	0.24	3.54	A 76	1/2"X78"	0.49	7.28	A 116	1/2"X118"	0.75	11.11
A 38	1/2"X40"	0.25	3.64	A 77	1/2"X79"	0.50	7.37	A 118	1/2"X120"	0.76	11.30
A 39	1/2"X41"	0.25	3.73	A 78	1/2"X80"	0.50	7.47	A 119	1/2"X121"	0.77	11.40
A 40	1/2"X42"	0.26	3.83	A 79	1/2"X81"	0.51	7.57	A 120	1/2"X122"	0.78	11.49
A 41	1/2"X43"	0.26	3.93	A 80	1/2"X82"	0.52	7.66	A 121	1/2"X123"	0.78	11.59
A 42	1/2"X44"	0.27	4.02	A 81	1/2"X83"	0.52	7.76	A 122	1/2"X124"	0.79	11.68
A 43	1/2"X45"	0.28	4.12	A 82	1/2"X84"	0.53	7.85	A 124	1/2"X126"	0.80	11.87
A 44	1/2"X46"	0.28	4.21	A 83	1/2"X85"	0.54	7.95	A 125	1/2"X127"	0.81	11.97
A 45	1/2"X47"	0.29	4.31	A 84	1/2"X86"	0.54	8.04	A 126	1/2"X128"	0.81	12.07
A 46	1/2"X48"	0.30	4.41	A 85	1/2"X87"	0.55	8.14	A 128	1/2"X130"	0.83	12.26
A 47	1/2"X49"	0.30	4.50	A 86	1/2"X88"	0.56	8.24	A 133	1/2"X135"	0.86	12.74
A 48	1/2"X50"	0.31	4.60	A 87	1/2"X89"	0.56	8.33	A 134	1/2"X136"	0.87	12.83
A 49	1/2"X51"	0.32	4.69	A 88	1/2"X90"	0.57	8.43	A 136	1/2"X138"	0.88	13.02
A 50	1/2"X52"	0.32	4.79	A 89	1/2"X91"	0.57	8.52	A 137	1/2"X139"	0.89	13.12
A 51	1/2"X53"	0.33	4.88	A 90	1/2"X92"	0.58	8.62	A 138	1/2"X140"	0.89	13.22
A 52	1/2"X54"	0.34	4.98	A 91	1/2"X93"	0.59	8.71	A 139	1/2"X141"	0.90	13.31

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 1/2"

Height - 5/16"

O.C.L. - Outside Circle Length

CLASSIC INDUSTRIAL 'A' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
A 140	1/2"X142"	0.90	13.41	A 148	1/2"X150"	0.96	14.17	A 156	1/2"X157"	1.01	14.94
A 141	1/2"X143"	0.91	13.50	A 150	1/2"X152"	0.97	14.36	A 158	1/2"X160"	1.02	15.13
A 143	1/2"X143"	0.92	13.69	A 151	1/2"X153"	0.98	14.46	A 159	1/2"X161"	1.03	15.23
A 144	1/2"X146"	0.93	13.79	A 152	1/2"X154"	0.98	14.56	A 160	1/2"X162"	1.03	15.32
A 145	1/2"X147"	0.94	13.89	A 154	1/2"X156"	0.99	14.75	A 162	1/2"X164"	1.05	15.51
A 147	1/2"X149"	0.95	14.08	A 155	1/2"X157"	1.00	14.84	A 173	1/2"X175"	1.12	16.57
								A 180	1/2"X182"	1.16	17.24

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 21/32"

Height - 13/32"

O.C.L. - Outside Circle Length

CLASSIC INDUSTRIAL 'B' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
B 19	21/32"X22"	0.20	2.56	B 59	21/32"X62"	0.62	7.94	B 97	21/32"X100"	1.02	13.05
B 22	21/32"X25"	0.23	2.96	B 60	21/32"X63"	0.63	8.07	B 98	21/32"X101"	1.03	13.19
B 23	21/32"X26"	0.24	3.09	B 61	21/32"X64"	0.64	8.21	B 99	21/32"X102"	1.04	13.32
B 24	21/32"X27"	0.25	3.23	B 62	21/32"X65"	0.65	8.34	B 100	21/32"X103"	1.05	13.46
B 25	21/32"X28"	0.26	3.36	B 63	21/32"X66"	0.66	8.48	B 101	21/32"X104"	1.06	13.59
B 26	21/32"X29"	0.27	3.50	B 64	21/32"X67"	0.67	8.61	B 102	21/32"X105"	1.07	13.72
B 27	21/32"X30"	0.28	3.63	B 65	21/32"X68"	0.68	8.75	B 103	21/32"X106"	1.08	13.86
B 28	21/32"X31"	0.29	3.77	B 66	21/32"X69"	0.69	8.88	B 104	21/32"X107"	1.09	13.99
B 29	21/32"X32"	0.30	3.90	B 67	21/32"X70"	0.70	9.02	B 105	21/32"X108"	1.10	14.13
B 30	21/32"X33"	0.32	4.04	B 68	21/32"X71"	0.71	9.15	B 106	21/32"X109"	1.11	14.26
B 31	21/32"X34"	0.33	4.17	B 69	21/32"X72"	0.72	9.28	B 107	21/32"X110"	1.12	14.40
B 32	21/32"X35"	0.34	4.31	B 70	21/32"X73"	0.74	9.42	B 108	21/32"X111"	1.13	14.53
B 33	21/32"X36"	0.35	4.44	B 71	21/32"X74"	0.75	9.55	B 109	21/32"X112"	1.14	14.67
B 34	21/32"X37"	0.36	4.57	B 72	21/32"X75"	0.76	9.69	B 110	21/32"X113"	1.16	14.80
B 35	21/32"X38"	0.37	4.71	B 73	21/32"X76"	0.77	9.82	B 111	21/32"X114"	1.17	14.94
B 36	21/32"X39"	0.38	4.84	B 74	21/32"X77"	0.78	9.96	B 112	21/32"X115"	1.18	15.07
B 37	21/32"X40"	0.39	4.98	B 75	21/32"X78"	0.79	10.09	B 113	21/32"X116"	1.19	15.20
B 38	21/32"X41"	0.40	5.11	B 76	21/32"X79"	0.80	10.23	B 114	21/32"X117"	1.20	15.34
B 39	21/32"X42"	0.41	5.25	B 77	21/32"X80"	0.81	10.36	B 115	21/32"X118"	1.21	15.47
B 40	21/32"X43"	0.42	5.38	B 78	21/32"X81"	0.82	10.50	B 116	21/32"X119"	1.22	15.61
B 41	21/32"X44"	0.43	5.52	B 79	21/32"X82"	0.83	10.63	B 117	21/32"X120"	1.23	15.74
B 42	21/32"X45"	0.44	5.65	B 80	21/32"X83"	0.84	10.76	B 118	21/32"X121"	1.24	15.88
B 43	21/32"X46"	0.45	5.79	B 81	21/32"X84"	0.85	10.90	B 119	21/32"X122"	1.25	16.01
B 44	21/32"X47"	0.46	5.92	B 82	21/32"X85"	0.86	11.03	B 120	21/32"X123"	1.26	16.15
B 45	21/32"X48"	0.47	6.05	B 83	21/32"X86"	0.87	11.17	B 121	21/32"X124"	1.27	16.28
B 46	21/32"X49"	0.48	6.19	B 84	21/32"X87"	0.88	11.30	B 122	21/32"X125"	1.28	16.42
B 47	21/32"X50"	0.49	6.32	B 85	21/32"X88"	0.89	11.44	B 123	21/32"X126"	1.29	16.55
B 48	21/32"X51"	0.50	6.46	B 86	21/32"X89"	0.90	11.57	B 124	21/32"X127"	1.30	16.68
B 49	21/32"X52"	0.51	6.59	B 87	21/32"X90"	0.91	11.71	B 125	21/32"X128"	1.31	16.82
B 50	21/32"X53"	0.53	6.73	B 88	21/32"X91"	0.92	11.84	B 126	21/32"X129"	1.32	16.95
B 51	21/32"X54"	0.54	6.86	B 89	21/32"X92"	0.93	11.98	B 127	21/32"X130"	1.33	17.09
B 52	21/32"X55"	0.55	7.00	B 90	21/32"X93"	0.95	12.11	B 128	21/32"X131"	1.34	17.22
B 53	21/32"X56"	0.56	7.13	B 91	21/32"X94"	0.96	12.24	B 129	21/32"X132"	1.35	17.36
B 54	21/32"X57"	0.57	7.27	B 92	21/32"X95"	0.97	12.38	B 130	21/32"X133"	1.37	17.49
B 55	21/32"X58"	0.58	7.40	B 93	21/32"X96"	0.98	12.51	B 131	21/32"X134"	1.38	17.63
B 56	21/32"X59"	0.59	7.53	B 94	21/32"X97"	0.99	12.65	B 132	21/32"X135"	1.39	17.76
B 57	21/32"X60"	0.60	7.67	B 95	21/32"X98"	1.00	12.78	B 133	21/32"X136"	1.40	17.90
B 58	21/32"X61"	0.61	7.80	B 96	21/32"X99"	1.01	12.92	B 134	21/32"X137"	1.41	18.03
								B 135	21/32"X138"	1.42	18.16

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 21/32"

Height - 13/32"

O.C.L. - Outside Circle Length

CLASSIC INDUSTRIAL 'B' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
B 136	21/32"X139"	1.43	18.30	B 162	21/32"X165"	1.70	21.80	B 210	21/32"X213"	2.21	28.26
B 137	21/32"X140"	1.44	18.43	B 164	21/32"X167"	1.72	22.07	B 217	21/32"X220"	2.28	29.20
B 138	21/32"X141"	1.45	18.57	B 165	21/32"X168"	1.73	22.20	B 218	21/32"X221"	2.29	29.33
B 139	21/32"X142"	1.46	18.70	B 170	21/32"X173"	1.79	22.87	B 220	21/32"X223"	2.31	29.60
B 140	21/32"X143"	1.47	18.84	B 173	21/32"X176"	1.82	23.28	B 223	21/32"X226"	2.34	30.01
B 141	21/32"X144"	1.48	18.97	B 174	21/32"X177"	1.83	23.41	B 225	21/32"X228"	2.36	30.27
B 142	21/32"X145"	1.49	19.11	B 175	21/32"X178"	1.84	23.55	B 235	21/32"X238"	2.47	31.62
B 143	21/32"X146"	1.50	19.24	B 176	21/32"X179"	1.85	23.68	B 238	21/32"X241"	2.50	32.02
B 144	21/32"X147"	1.51	19.38	B 178	21/32"X181"	1.87	23.95	B 240	21/32"X243"	2.52	32.29
B 145	21/32"X148"	1.52	19.51	B 180	21/32"X183"	1.89	24.22	B 248	21/32"X251"	2.60	33.37
B 146	21/32"X149"	1.53	19.64	B 182	21/32"X185"	1.91	24.49	B 249	21/32"X252"	2.61	33.50
B 147	21/32"X150"	1.54	19.78	B 183	21/32"X186"	1.92	24.62	B 255	21/32"X258"	2.68	34.31
B 148	21/32"X151"	1.55	19.91	B 185	21/32"X188"	1.94	24.89	B 259	21/32"X262"	2.72	34.85
B 149	21/32"X152"	1.56	20.05	B 186	21/32"X189"	1.95	25.03	B 270	21/32"X273"	2.84	36.33
B 150	21/32"X153"	1.58	20.18	B 188	21/32"X191"	1.97	25.30	B 285	21/32"X288"	2.99	38.35
B 151	21/32"X154"	1.59	20.32	B 190	21/32"X193"	2.00	25.56	B 288	21/32"X291"	3.02	38.75
B 152	21/32"X155"	1.60	20.45	B 193	21/32"X196"	2.03	25.97	B 292	21/32"X295"	3.07	39.29
B 153	21/32"X156"	1.61	20.59	B 194	21/32"X197"	2.04	26.10	B 300	21/32"X303"	3.15	40.37
B 154	21/32"X157"	1.62	20.72	B 195	21/32"X198"	2.05	26.24	B 315	21/32"X318"	3.31	42.38
B 155	21/32"X158"	1.63	20.86	B 200	21/32"X203"	2.10	26.91	B 330	21/32"X333"	3.47	44.40
B 156	21/32"X159"	1.64	20.99	B 204	21/32"X207"	2.14	27.45	B 338	21/32"X341"	3.55	45.48
B 157	21/32"X160"	1.65	21.12	B 205	21/32"X208"	2.15	27.58	B 340	21/32"X343"	3.57	45.75
B 158	21/32"X161"	1.66	21.26	B 206	21/32"X209"	2.16	27.72	B 345	21/32"X348"	3.62	46.42
B 160	21/32"X163"	1.68	21.53	B 207	21/32"X210"	2.17	27.85	B 360	21/32"X349"	3.78	48.44

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 7/8"

Height - 17/32"

O.C.L. - Outside Circle Length

CLASSIC INDUSTRIAL 'C' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
C 45	7/8"X49"	0.81	10.74	C 80	7/8"X84"	1.44	19.09	C 118	7/8"X122"	2.12	28.16
C 46	7/8"X50"	0.83	10.98	C 81	7/8"X85"	1.45	19.33	C 119	7/8"X123"	2.14	28.39
C 47	7/8"X51"	0.84	11.21	C 82	7/8"X86"	1.47	19.57	C 120	7/8"X124"	2.16	28.63
C 48	7/8"X52"	0.86	11.45	C 83	7/8"X87"	1.49	19.80	C 122	7/8"X126"	2.19	29.11
C 49	7/8"X53"	0.88	11.69	C 84	7/8"X88"	1.51	20.04	C 124	7/8"X128"	2.23	29.59
C 50	7/8"X54"	0.90	11.93	C 85	7/8"X89"	1.53	20.28	C 125	7/8"X129"	2.25	29.83
C 51	7/8"X55"	0.92	12.17	C 86	7/8"X90"	1.54	20.52	C 126	7/8"X130"	2.26	30.06
C 52	7/8"X56"	0.93	12.41	C 87	7/8"X91"	1.56	20.76	C 128	7/8"X132"	2.30	30.54
C 53	7/8"X57"	0.95	12.65	C 88	7/8"X92"	1.58	21.00	C 130	7/8"X134"	2.33	31.02
C 54	7/8"X58"	0.97	12.88	C 89	7/8"X93"	1.60	21.24	C 131	7/8"X135"	2.35	31.26
C 55	7/8"X59"	0.99	13.12	C 90	7/8"X94"	1.62	21.47	C 132	7/8"X136"	2.37	31.50
C 56	7/8"X60"	1.01	13.36	C 91	7/8"X95"	1.63	21.71	C 133	7/8"X137"	2.39	31.74
C 57	7/8"X61"	1.02	13.60	C 92	7/8"X96"	1.65	21.95	C 136	7/8"X140"	2.44	32.45
C 58	7/8"X62"	1.04	13.84	C 93	7/8"X97"	1.67	22.19	C 138	7/8"X142"	2.48	32.93
C 59	7/8"X63"	1.06	14.08	C 94	7/8"X98"	1.69	22.43	C 140	7/8"X144"	2.51	33.41
C 60	7/8"X64"	1.08	14.32	C 95	7/8"X99"	1.71	22.67	C 143	7/8"X147"	2.57	34.12
C 61	7/8"X65"	1.10	14.56	C 96	7/8"X100"	1.72	22.91	C 144	7/8"X148"	2.59	34.36
C 62	7/8"X66"	1.11	14.79	C 97	7/8"X101"	1.74	23.15	C 146	7/8"X150"	2.62	34.84
C 63	7/8"X67"	1.13	15.03	C 98	7/8"X102"	1.76	23.38	C 147	7/8"X151"	2.64	35.08
C 64	7/8"X68"	1.15	15.27	C 99	7/8"X103"	1.78	23.62	C 148	7/8"X152"	2.66	35.31
C 65	7/8"X69"	1.17	15.51	C 100	7/8"X104"	1.80	23.86	C 149	7/8"X153"	2.68	35.55
C 66	7/8"X70"	1.19	15.75	C 101	7/8"X105"	1.81	24.10	C 150	7/8"X154"	2.69	35.79
C 67	7/8"X71"	1.20	15.99	C 103	7/8"X107"	1.85	24.58	C 151	7/8"X155"	2.71	36.03
C 68	7/8"X72"	1.22	16.23	C 104	7/8"X108"	1.87	24.82	C 152	7/8"X156"	2.73	36.27
C 69	7/8"X73"	1.24	16.46	C 105	7/8"X109"	1.89	25.05	C 154	7/8"X158"	2.77	36.75
C 70	7/8"X74"	1.26	16.70	C 106	7/8"X110"	1.90	25.29	C 156	7/8"X160"	2.80	37.22
C 71	7/8"X75"	1.28	16.94	C 108	7/8"X112"	1.94	25.77	C 157	7/8"X161"	2.82	37.46
C 72	7/8"X76"	1.29	17.18	C 109	7/8"X113"	1.96	26.01	C 158	7/8"X162"	2.84	37.70
C 73	7/8"X77"	1.31	17.42	C 110	7/8"X114"	1.98	26.25	C 160	7/8"X164"	2.87	38.18
C 74	7/8"X78"	1.33	17.66	C 111	7/8"X115"	1.99	26.49	C 161	7/8"X165"	2.89	38.42
C 75	7/8"X79"	1.35	17.90	C 112	7/8"X116"	2.01	26.72	C 162	7/8"X166"	2.91	38.65
C 76	7/8"X80"	1.36	18.13	C 114	7/8"X118"	2.05	27.20	C 163	7/8"X167"	2.93	38.89
C 77	7/8"X81"	1.38	18.37	C 115	7/8"X119"	2.07	27.44	C 166	7/8"X170"	2.98	39.61
C 78	7/8"X82"	1.40	18.61	C 116	7/8"X120"	2.08	27.68	C 169	7/8"X173"	3.04	40.33
C 79	7/8"X83"	1.42	18.85	C 117	7/8"X121"	2.10	27.92	C 170	7/8"X174"	3.05	40.56

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 7/8"

Height - 17/32"

O.C.L. - Outside Circle Length

0.095444

CLASSIC INDUSTRIAL 'C' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
C 172	7/8"X176"	3.09	41.04	C 210	7/8"X214"	3.77	50.11	C 280	7/8"X284"	5.03	66.81
C 173	7/8"X177"	3.11	41.28	C 212	7/8"X216"	3.81	50.59	C 285	7/8"X289"	5.12	68.00
C 175	7/8"X179"	3.14	41.76	C 225	7/8"X229"	4.04	53.69	C 300	7/8"X304"	5.39	71.58
C 177	7/8"X181"	3.18	42.23	C 230	7/8"X234"	4.13	54.88	C 315	7/8"X319"	5.66	75.16
C 180	7/8"X184"	3.23	42.95	C 236	7/8"X240"	4.24	56.31	C 330	7/8"X334"	5.93	78.74
C 185	7/8"X189"	3.32	44.14	C 240	7/8"X244"	4.31	57.27	C 360	7/8"X364"	6.47	85.90
C 190	7/8"X194"	3.41	45.34	C 250	7/8"X254"	4.49	59.65	C 390	7/8"X394"	7.00	93.06
C 195	7/8"X199"	3.50	46.53	C 255	7/8"X259"	4.58	60.85	C 420	7/8"X424"	7.54	100.22
C 200	7/8"X204"	3.59	47.72	C 260	7/8"X264"	4.67	62.04	C 450	7/8"X454"	8.08	107.37
C 204	7/8"X208"	3.66	48.68	C 270	7/8"X274"	4.85	64.42	C 480	7/8"X484"	8.62	114.53
C 205	7/8"X209"	3.68	48.92	C 276	7/8"X280"	4.96	65.86				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 1 1/4"

Height - 3/4"

O.C.L. - Outside Circle Length

CLASSIC INDUSTRIAL 'D' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
D 84	1 1/4"X89"	3.14	44.83	D 128	1 1/4"X133"	4.79	68.31	D 210	1 1/4"X215"	7.9	112.07
D 89	1 1/4"X94"	3.33	47.50	D 130	1 1/4"X135"	4.86	69.38	D 240	1 1/4"X245"	9.0	128.08
D 90	1 1/4"X95"	3.37	48.03	D 131	1 1/4"X136"	4.90	69.91	D 270	1 1/4"X275"	10.1	144.09
D 97	1 1/4"X102"	3.63	51.77	D 136	1 1/4"X141"	5.09	72.58	D 300	1 1/4"X305"	11.2	160.10
D 98	1 1/4"X103"	3.67	52.30	D 140	1 1/4"X145"	5.24	74.71	D 315	1 1/4"X320"	11.8	168.10
D 100	1 1/4"X105"	3.74	53.37	D 144	1 1/4"X149"	5.39	76.85	D 320	1 1/4"X325"	12.0	170.77
D 102	1 1/4"X107"	3.81	54.43	D 147	1 1/4"X152"	5.50	78.45	D 330	1 1/4"X335"	12.3	176.11
D 105	1 1/4"X110"	3.93	56.03	D 148	1 1/4"X153"	5.54	78.98	D 360	1 1/4"X365"	13.5	192.12
D 108	1 1/4"X113"	4.04	57.64	D 152	1 1/4"X157"	5.68	81.12	D 380	1 1/4"X385"	14.2	202.79
D 110	1 1/4"X115"	4.11	58.70	D 158	1 1/4"X163"	5.91	84.32	D 390	1 1/4"X395"	14.6	208.13
D 112	1 1/4"X117"	4.19	59.77	D 162	1 1/4"X167"	6.06	86.45	D 420	1 1/4"X425"	15.7	224.14
D 118	1 1/4"X123"	4.41	62.97	D 170	1 1/4"X175"	6.36	90.72	D 450	1 1/4"X455"	16.8	240.15
D 120	1 1/4"X125"	4.49	64.04	D 173	1 1/4"X178"	6.47	92.32	D 480	1 1/4"X485"	18.0	256.16
D 124	1 1/4"X129"	4.64	105.88	D 180	1 1/4"X185"	6.73	96.06	D 520	1 1/4"X525"	19.4	277.50

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 3/8"

Height - 7/32"

O.C.L. - Outside Circle Length

MACHINE POWER '3L' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
3L 130	3/8"X13"	0.04	1.17	3L 330	3/8"X33"	0.11	2.97	3L 530	3/8"X53"	0.18	4.76
3L 140	3/8"X14"	0.05	1.26	3L 340	3/8"X34"	0.12	3.06	3L 540	3/8"X54"	0.18	4.85
3L 150	3/8"X15"	0.05	1.35	3L 350	3/8"X35"	0.12	3.15	3L 550	3/8"X55"	0.19	4.94
3L 160	3/8"X16"	0.05	1.44	3L 360	3/8"X36"	0.12	3.24	3L 560	3/8"X56"	0.19	5.03
3L 170	3/8"X17"	0.06	1.53	3L 370	3/8"X37"	0.13	3.33	3L 570	3/8"X57"	0.19	5.12
3L 180	3/8"X18"	0.06	1.62	3L 380	3/8"X38"	0.13	3.42	3L 580	3/8"X58"	0.20	5.21
3L 190	3/8"X19"	0.06	1.71	3L 390	3/8"X39"	0.13	3.51	3L 590	3/8"X59"	0.20	5.30
3L 200	3/8"X20"	0.07	1.80	3L 400	3/8"X40"	0.14	3.60	3L 600	3/8"X60"	0.20	5.39
3L 210	3/8"X21"	0.07	1.89	3L 410	3/8"X41"	0.14	3.69	3L 610	3/8"X61"	0.21	5.48
3L 220	3/8"X22"	0.07	1.98	3L 420	3/8"X42"	0.14	3.77	3L 620	3/8"X62"	0.21	5.57
3L 230	3/8"X23"	0.08	2.07	3L 430	3/8"X43"	0.15	3.86	3L 630	3/8"X63"	0.21	5.66
3L 240	3/8"X24"	0.08	2.16	3L 440	3/8"X44"	0.15	3.95	3L 640	3/8"X64"	0.22	5.75
3L 250	3/8"X25"	0.09	2.25	3L 450	3/8"X45"	0.15	4.04	3L 650	3/8"X65"	0.22	5.84
3L 260	3/8"X26"	0.09	2.34	3L 460	3/8"X46"	0.16	4.13	3L 660	3/8"X66"	0.22	5.93
3L 270	3/8"X27"	0.09	2.43	3L 470	3/8"X47"	0.16	4.22	3L 670	3/8"X67"	0.23	6.02
3L 280	3/8"X28"	0.10	2.52	3L 480	3/8"X48"	0.16	4.31	3L 680	3/8"X68"	0.23	6.11
3L 290	3/8"X29"	0.10	2.61	3L 490	3/8"X49"	0.17	4.40	3L 690	3/8"X69"	0.23	6.20
3L 300	3/8"X30"	0.10	2.70	3L 500	3/8"X50"	0.17	4.49	3L 700	3/8"X70"	0.24	6.29
3L 310	3/8"X31"	0.11	2.79	3L 510	3/8"X51"	0.17	4.58				
3L 320	3/8"X32"	0.11	2.88	3L 520	3/8"X52"	0.18	7.48				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 1/2"
Height - 5/16"

MACHINE POWER '4L' SECTION BELTING COMPARABLE NUMBER 'A' SECTION BELTING

Belt No.	Comp. No.	Lbs.	Price	Belt No.	Comp. No.	Lbs.	Price	Belt No.	Comp. No.	Lbs.	Price
4L 160	A14	0.10	1.34	4L 450	A43	0.27	4.12	4L 740	A72	0.44	6.90
4L 170	A15	0.10	1.44	4L 460	A44	0.28	4.21	4L 750	A73	0.45	6.99
4L 180	A16	0.11	1.53	4L 470	A45	0.28	4.31	4L 760	A74	0.46	7.09
4L 190	A17	0.11	1.63	4L 480	A46	0.29	4.41	4L 770	A75	0.46	7.18
4L 200	A18	0.12	1.72	4L 490	A47	0.29	4.50	4L 780	A76	0.47	7.28
4L 210	A19	0.13	1.82	4L 500	A48	0.30	4.60	4L 790	A77	0.47	7.37
4L 220	A20	0.13	1.92	4L 510	A49	0.31	4.69	4L 800	A78	0.48	7.47
4L 230	A21	0.14	2.01	4L 520	A50	0.31	4.79	4L 810	A79	0.49	7.57
4L 240	A22	0.14	2.11	4L 530	A51	0.32	4.88	4L 820	A80	0.49	7.66
4L 250	A23	0.15	2.20	4L 540	A52	0.32	4.98	4L 830	A81	0.50	7.76
4L 260	A24	0.16	2.30	4L 550	A53	0.33	5.08	4L 840	A82	0.50	7.85
4L 270	A25	0.16	2.39	4L 560	A54	0.34	5.17	4L 850	A83	0.51	7.95
4L 280	A26	0.17	2.49	4L 570	A55	0.34	5.27	4L 860	A84	0.52	8.04
4L 290	A27	0.17	2.59	4L 580	A56	0.35	5.36	4L 870	A85	0.52	8.14
4L 300	A28	0.18	2.68	4L 590	A57	0.35	5.46	4L 880	A86	0.53	8.24
4L 310	A29	0.19	2.78	4L 600	A58	0.36	5.55	4L 890	A87	0.53	8.33
4L 320	A30	0.19	2.87	4L 610	A59	0.37	5.65	4L 900	A88	0.54	8.43
4L 330	A31	0.20	2.97	4L 620	A60	0.37	5.75	4L 910	A89	0.55	8.52
4L 340	A32	0.20	3.06	4L 630	A61	0.38	5.84	4L 920	A90	0.55	8.62
4L 350	A33	0.21	3.16	4L 640	A62	0.38	5.94	4L 930	A91	0.56	8.71
4L 360	A34	0.22	3.26	4L 650	A63	0.39	6.03	4L 940	A92	0.56	8.81
4L 370	A35	0.22	3.35	4L 660	A64	0.40	6.13	4L 950	A93	0.57	8.91
4L 380	A36	0.23	3.45	4L 670	A65	0.40	6.22	4L 960	A94	0.58	9.00
4L 390	A37	0.23	3.54	4L 680	A66	0.41	6.32	4L 970	A95	0.58	9.10
4L 400	A38	0.24	3.64	4L 690	A67	0.41	6.42	4L 980	A96	0.59	9.19
4L 410	A39	0.25	3.73	4L 700	A68	0.42	6.51	4L 990	A97	0.59	9.29
4L 420	A40	0.25	3.83	4L 710	A69	0.43	6.61	4L 1000	A98	0.60	9.38
4L 430	A41	0.26	3.93	4L 720	A70	0.43	6.70				
4L 440	A42	0.26	4.02	4L 730	A71	0.44	6.80				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 21/32"
Height - 3/8"


MACHINE POWER '5L' SECTION BELTING COMPARABLE NUMBER 'B' SECTION BELTING

Belt No.	Comp. No.	Lbs.	Price	Belt No.	Comp. No.	Lbs.	Price	Belt No.	Comp. No.	Lbs.	Price
5L 250	B22	0.23	2.96	5L 500	B47	0.47	6.32	5L 750	B72	0.70	9.69
5L 260	B23	0.24	3.09	5L 510	B48	0.47	6.46	5L 760	B73	0.71	9.82
5L 270	B24	0.25	3.23	5L 520	B49	0.48	6.59	5L 770	B74	0.72	9.96
5L 280	B25	0.26	3.36	5L 530	B50	0.49	6.73	5L 780	B75	0.73	10.09
5L 290	B26	0.27	3.50	5L 540	B51	0.50	6.86	5L 790	B76	0.73	10.23
5L 300	B27	0.28	3.63	5L 550	B52	0.51	7.00	5L 800	B77	0.74	10.36
5L 310	B28	0.29	3.77	5L 560	B53	0.52	7.13	5L 810	B78	0.75	10.50
5L 320	B29	0.30	3.90	5L 570	B54	0.53	7.27	5L 820	B79	0.76	10.63
5L 330	B30	0.31	4.04	5L 580	B55	0.54	7.40	5L 830	B80	0.77	10.76
5L 340	B31	0.32	4.17	5L 590	B56	0.55	7.53	5L 840	B81	0.78	10.90
5L 350	B32	0.33	4.31	5L 600	B57	0.56	7.67	5L 850	B82	0.79	11.03
5L 360	B33	0.33	4.44	5L 610	B58	0.57	7.80	5L 860	B83	0.80	11.17
5L 370	B34	0.34	4.57	5L 620	B59	0.58	7.94	5L 870	B84	0.81	11.30
5L 380	B35	0.35	4.71	5L 630	B60	0.59	8.07	5L 880	B85	0.82	11.44
5L 390	B36	0.36	4.84	5L 640	B61	0.60	8.21	5L 890	B86	0.83	11.57
5L 400	B37	0.37	4.98	5L 650	B62	0.60	8.34	5L 900	B87	0.84	11.71
5L 410	B38	0.38	5.11	5L 660	B63	0.61	8.48	5L 910	B88	0.85	11.84
5L 420	B39	0.39	5.25	5L 670	B64	0.62	8.61	5L 920	B89	0.86	11.98
5L 430	B40	0.40	5.38	5L 680	B65	0.63	8.75	5L 930	B90	0.86	12.11
5L 440	B41	0.41	5.52	5L 690	B66	0.64	8.88	5L 940	B91	0.87	12.24
5L 450	B42	0.42	5.65	5L 700	B67	0.65	9.02	5L 950	B92	0.88	12.38
5L 460	B43	0.43	5.79	5L 710	B68	0.66	9.15	5L 960	B93	0.89	12.51
5L 470	B44	0.44	5.92	5L 720	B69	0.67	9.28	5L 970	B94	0.90	12.65
5L 480	B45	0.45	6.05	5L 730	B70	0.68	9.42	5L 980	B95	0.91	12.78
5L 490	B46	0.46	6.19	5L 740	B71	0.69	9.55	5L 990	B96	0.92	12.92
								5L 1000	B97	0.93	13.05

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 1/2"

Height - 5/16"

O.C.L. - Outside Circle Length


MAXI-POWER COGGED 'AX' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
AX 17	1/2"X19"	0.10	3.50	AX 47	1/2"X49"	0.28	9.68	AX 77	1/2"X79"	0.46	15.86
AX 18	1/2"X20"	0.11	3.71	AX 48	1/2"X50"	0.29	9.89	AX 78	1/2"X80"	0.46	16.07
AX 19	1/2"X21"	0.11	3.91	AX 49	1/2"X51"	0.29	10.09	AX 79	1/2"X81"	0.47	16.27
AX 20	1/2"X22"	0.12	4.12	AX 50	1/2"X52"	0.30	10.30	AX 80	1/2"X82"	0.48	16.48
AX 21	1/2"X23"	0.13	4.33	AX 51	1/2"X53"	0.30	10.50	AX 81	1/2"X83"	0.48	16.68
AX 22	1/2"X24"	0.13	4.53	AX 52	1/2"X54"	0.31	10.71	AX 82	1/2"X84"	0.49	16.89
AX 23	1/2"X25"	0.14	4.74	AX 53	1/2"X55"	0.32	10.92	AX 83	1/2"X85"	0.49	17.10
AX 24	1/2"X26"	0.14	4.94	AX 54	1/2"X56"	0.32	11.12	AX 84	1/2"X86"	0.50	17.30
AX 25	1/2"X27"	0.15	5.15	AX 55	1/2"X57"	0.33	11.33	AX 85	1/2"X87"	0.51	17.51
AX 26	1/2"X28"	0.15	5.36	AX 56	1/2"X58"	0.33	11.53	AX 86	1/2"X88"	0.51	17.71
AX 27	1/2"X29"	0.16	5.56	AX 57	1/2"X59"	0.34	11.74	AX 87	1/2"X89"	0.52	17.92
AX 28	1/2"X30"	0.17	5.77	AX 58	1/2"X60"	0.35	11.95	AX 88	1/2"X90"	0.52	18.13
AX 29	1/2"X31"	0.17	5.97	AX 59	1/2"X61"	0.35	12.15	AX 89	1/2"X91"	0.53	18.33
AX 30	1/2"X32"	0.18	6.18	AX 60	1/2"X62"	0.36	12.36	AX 90	1/2"X92"	0.54	18.54
AX 31	1/2"X33"	0.18	6.39	AX 61	1/2"X63"	0.36	12.56	AX 91	1/2"X93"	0.54	18.74
AX 32	1/2"X34"	0.19	6.59	AX 62	1/2"X64"	0.37	12.77	AX 92	1/2"X94"	0.55	18.95
AX 33	1/2"X35"	0.20	6.80	AX 63	1/2"X65"	0.38	12.98	AX 93	1/2"X95"	0.55	19.16
AX 34	1/2"X36"	0.20	7.00	AX 64	1/2"X66"	0.38	13.18	AX 94	1/2"X96"	0.56	19.36
AX 35	1/2"X37"	0.21	7.21	AX 65	1/2"X67"	0.39	13.39	AX 95	1/2"X97"	0.57	19.57
AX 36	1/2"X38"	0.21	7.42	AX 66	1/2"X68"	0.39	13.59	AX 96	1/2"X98"	0.57	19.77
AX 37	1/2"X39"	0.22	7.62	AX 67	1/2"X69"	0.40	13.80	AX 97	1/2"X99"	0.58	19.98
AX 38	1/2"X40"	0.23	7.83	AX 68	1/2"X70"	0.41	14.01	AX 98	1/2"X100"	0.58	20.19
AX 39	1/2"X41"	0.23	8.03	AX 69	1/2"X71"	0.41	14.21	AX 112	1/2"X114"	0.67	23.07
AX 40	1/2"X42"	0.24	8.24	AX 70	1/2"X72"	0.42	14.42	AX 120	1/2"X122"	0.72	24.72
AX 41	1/2"X43"	0.24	8.44	AX 71	1/2"X73"	0.42	14.62	AX 124	1/2"X126"	0.74	25.54
AX 42	1/2"X44"	0.25	8.65	AX 72	1/2"X74"	0.43	14.83	AX 128	1/2"X130"	0.76	26.36
AX 43	1/2"X45"	0.26	8.86	AX 73	1/2"X75"	0.44	15.04	AX 136	1/2"X138"	0.81	28.01
AX 44	1/2"X46"	0.26	9.06	AX 74	1/2"X76"	0.44	15.24	AX 158	1/2"X160"	0.94	32.54
AX 45	1/2"X47"	0.27	9.27	AX 75	1/2"X77"	0.45	15.45	AX 173	1/2"X175"	1.03	35.63
AX 46	1/2"X48"	0.27	9.47	AX 76	1/2"X78"	0.45	15.65				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 21/32"

Height - 13/32"

O.C.L. - Outside Circle Length

MAXI-POWER COGGED 'BX' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
BX 22	21/32"X25"	0.23	5.12	BX 58	21/32"X61"	0.60	13.49	BX 94	21/32"X97"	0.97	21.87
BX 23	21/32"X26"	0.24	5.35	BX 59	21/32"X62"	0.61	13.73	BX 95	21/32"X98"	0.98	22.10
BX 24	21/32"X27"	0.25	5.58	BX 60	21/32"X63"	0.62	13.96	BX 96	21/32"X99"	0.99	22.34
BX 25	21/32"X28"	0.26	5.82	BX 61	21/32"X64"	0.63	14.19	BX 97	21/32"X100"	1.00	22.57
BX 26	21/32"X29"	0.27	6.05	BX 62	21/32"X65"	0.64	14.43	BX 98	21/32"X101"	1.01	22.80
BX 27	21/32"X30"	0.28	6.28	BX 63	21/32"X66"	0.65	14.66	BX 99	21/32"X102"	1.02	23.03
BX 28	21/32"X31"	0.29	6.51	BX 64	21/32"X67"	0.66	14.89	BX 100	21/32"X103"	1.03	23.27
BX 29	21/32"X32"	0.30	6.75	BX 65	21/32"X68"	0.67	15.12	BX 103	21/32"X106"	1.06	23.97
BX 30	21/32"X33"	0.31	6.98	BX 66	21/32"X69"	0.68	15.36	BX 105	21/32"X108"	1.08	24.43
BX 31	21/32"X34"	0.32	7.21	BX 67	21/32"X70"	0.69	15.59	BX 108	21/32"X111"	1.12	25.13
BX 32	21/32"X35"	0.33	7.45	BX 68	21/32"X71"	0.70	15.82	BX 110	21/32"X113"	1.14	25.59
BX 33	21/32"X36"	0.34	7.68	BX 69	21/32"X72"	0.71	16.05	BX 112	21/32"X115"	1.16	26.06
BX 34	21/32"X37"	0.35	7.91	BX 70	21/32"X73"	0.72	16.29	BX 113	21/32"X116"	1.17	26.29
BX 35	21/32"X38"	0.36	8.14	BX 71	21/32"X74"	0.73	16.52	BX 114	21/32"X117"	1.18	26.52
BX 36	21/32"X39"	0.37	8.38	BX 72	21/32"X75"	0.74	16.75	BX 115	21/32"X108"	1.19	26.76
BX 37	21/32"X40"	0.38	8.61	BX 73	21/32"X76"	0.75	16.99	BX 116	21/32"X119"	1.20	26.99
BX 38	21/32"X41"	0.39	8.84	BX 74	21/32"X77"	0.76	17.22	BX 118	21/32"X121"	1.22	27.46
BX 39	21/32"X42"	0.40	9.07	BX 75	21/32"X78"	0.77	17.45	BX 120	21/32"X123"	1.24	27.92
BX 40	21/32"X43"	0.41	9.31	BX 76	21/32"X79"	0.79	17.68	BX 123	21/32"X126"	1.27	28.62
BX 41	21/32"X44"	0.42	9.54	BX 77	21/32"X80"	0.80	17.92	BX 124	21/32"X127"	1.28	28.85
BX 42	21/32"X45"	0.43	9.77	BX 78	21/32"X81"	0.81	18.15	BX 126	21/32"X129"	1.30	29.32
BX 43	21/32"X46"	0.44	10.00	BX 79	21/32"X82"	0.82	18.38	BX 128	21/32"X131"	1.32	29.78
BX 44	21/32"X47"	0.45	10.24	BX 80	21/32"X83"	0.83	18.61	BX 130	21/32"X133"	1.34	30.25
BX 45	21/32"X48"	0.46	10.47	BX 81	21/32"X84"	0.84	18.85	BX 133	21/32"X136"	1.37	30.95
BX 46	21/32"X49"	0.48	10.70	BX 82	21/32"X85"	0.85	19.08	BX 136	21/32"X398"	1.41	31.64
BX 47	21/32"X50"	0.49	10.94	BX 83	21/32"X86"	0.86	19.31	BX 140	21/32"X143"	1.45	32.57
BX 48	21/32"X51"	0.50	11.17	BX 84	21/32"X87"	0.87	19.54	BX 144	21/32"X147"	1.49	33.50
BX 49	21/32"X52"	0.51	11.40	BX 85	21/32"X88"	0.88	19.78	BX 150	21/32"X153"	1.55	34.90
BX 50	21/32"X53"	0.52	11.63	BX 86	21/32"X89"	0.89	20.01	BX 154	21/32"X157"	1.59	35.83
BX 51	21/32"X54"	0.53	11.87	BX 87	21/32"X90"	0.90	20.24	BX 158	21/32"X161"	1.63	36.76
BX 52	21/32"X55"	0.54	12.10	BX 88	21/32"X91"	0.91	20.48	BX 160	21/32"X163"	1.65	37.23
BX 53	21/32"X56"	0.55	12.33	BX 89	21/32"X92"	0.92	20.71	BX 162	21/32"X165"	1.67	37.69
BX 54	21/32"X57"	0.56	12.56	BX 90	21/32"X93"	0.93	20.94	BX 173	21/32"X176"	1.79	40.25
BX 55	21/32"X58"	0.57	12.80	BX 91	21/32"X94"	0.94	21.17	BX 180	21/32"X183"	1.86	41.88
BX 56	21/32"X59"	0.58	13.03	BX 92	21/32"X95"	0.95	21.41	BX 195	21/32"X198"	2.01	45.37
BX 57	21/32"X60"	0.59	13.26	BX 93	21/32"X96"	0.96	21.64				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 3/8"

Height - 21/64"

O.C.L. - Outside Circle Length

HIGH - V INDUSTRIAL '3V' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
3V 250	3/8"X25"	0.11	4.01	3V 475	3/8"X47.5"	0.22	7.62	3V 750	3/8"X75"	0.34	12.04
3V 265	3/8"X26.5"	0.12	4.25	3V 500	3/8"X50"	0.23	8.03	3V 800	3/8"X80"	0.36	12.84
3V 280	3/8"X28"	0.13	4.49	3V 530	3/8"X53"	0.24	8.51	3V 850	3/8"X85"	0.39	13.64
3V 300	3/8"X30"	0.14	4.82	3V 550	3/8"X55.5"	0.25	8.83	3V 900	3/8"X90"	0.41	14.45
3V 315	3/8"X31.5"	0.14	5.06	3V 560	3/8"X56"	0.26	8.99	3V 950	3/8"X95"	0.43	15.25
3V 335	3/8"X33.5"	0.15	5.38	3V 600	3/8"X60"	0.27	9.63	3V 1000	3/8"X100"	0.46	16.05
3V 355	3/8"X35.5"	0.16	5.70	3V 610	3/8"X61"	0.28	9.79	3V 1120	3/8"X112"	0.51	17.98
3V 375	3/8"X37.5"	0.17	6.02	3V 630	3/8"X63"	0.29	10.11				
3V 400	3/8"X40"	0.18	6.42	3V 650	3/8"X65"	0.30	10.43				
3V 425	3/8"X42.5"	0.19	6.82	3V 670	3/8"X67"	0.31	10.75				
3V 450	3/8"X45"	0.21	7.22	3V 710	3/8"X71"	0.32	11.40				



Upper Width - 5/8"

Height - 35/64"

O.C.L. - Outside Circle Length

HIGH - V INDUSTRIAL '5V' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
5V 500	5/8"X50"	0.65	13.48	5V 950	5/8"X95"	1.23	25.62	5V 1800	5/8"X180"	2.33	48.54
5V 530	5/8"X53"	0.69	14.29	5V 1000	5/8"X100"	1.30	26.96	5V 1900	5/8"X190"	2.46	51.23
5V 560	5/8"X56"	0.73	15.10	5V 1060	5/8"X106"	1.37	28.58	5V 2000	5/8"X200"	2.59	53.93
5V 600	5/8"X60"	0.78	16.18	5V 1120	5/8"X112"	1.45	30.20	5V 2120	5/8"X212"	2.75	57.16
5V 630	5/8"X63"	0.82	16.99	5V 1180	5/8"X118"	1.53	31.82	5V 2240	5/8"X224"	2.90	60.40
5V 670	5/8"X67"	0.87	18.07	5V 1250	5/8"X125"	1.62	33.71	5V 2260	5/8"X226"	2.93	60.94
5V 710	5/8"X71"	0.92	19.14	5V 1320	5/8"X132"	1.71	35.59	5V 2360	5/8"X236"	3.06	63.64
5V 750	5/8"X75"	0.97	20.22	5V 1400	5/8"X140"	1.81	37.75	5V 2500	5/8"X250"	3.24	67.41
5V 800	5/8"X80"	1.04	21.57	5V 1500	5/8"X150"	1.94	40.45	5V 2800	5/8"X280"	3.63	75.50
5V 840	5/8"X84"	1.09	22.65	5V 1600	5/8"X160"	2.07	43.14	5V 3000	5/8"X300"	3.89	80.89
5V 850	5/8"X85"	1.10	22.92	5V 1700	5/8"X170"	2.20	45.84	5V 3150	5/8"X315"	4.08	84.94
5V 900	5/8"X90"	1.17	24.27	5V 1750	5/8"X175"	2.27	47.19				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 1"

Height - 7/8"

O.C.L. - Outside Circle Length


HIGH - V INDUSTRIAL '8V' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
8V 1000	1"X100"	3.49	59.00	8V 1800	1"X180"	6.28	106.20	8V 3150	1"X315"	11.0	185.85
8V 1060	1"X106"	3.70	62.54	8V 1900	1"X190"	6.63	112.10	8V 3350	1"X335"	11.7	197.65
8V 1120	1"X112"	3.91	66.08	8V 2000	1"X200"	6.98	118.00	8V 3550	1"X355"	12.4	209.45
8V 1180	1"X118"	4.12	69.62	8V 2120	1"X212"	7.40	125.08	8V 3750	1"X375"	13.1	221.25
8V 1250	1"X125"	4.36	73.75	8V 2240	1"X224"	7.8	132.16	8V 4000	1"X400"	14.0	236.00
8V 1320	1"X132"	4.61	77.88	8V 2360	1"X236"	8.2	139.24	8V 4250	1"X425"	14.8	250.75
8V 1400	1"X140"	4.89	82.60	8V 2500	1"X250"	8.7	147.50	8V 4500	1"X450"	15.7	265.50
8V 1500	1"X150"	5.24	88.50	8V 2650	1"X265"	9.2	156.35	8V 4750	1"X475"	16.6	280.25
8V 1600	1"X160"	5.58	94.40	8V 2800	1"X280"	9.8	165.20	8V 5000	1"X500"	17.5	295.00
8V 1700	1"X170"	5.93	100.30	8V 3000	1"X300"	10.5	177.00	8V 5600	1"X560"	19.5	330.40

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY




Upper Width - 3/8"

Height - 21/64"

O.C.L. - Outside Circle Length

MAXI-POWER COGGED '3VX' HIGH-V SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
3VX 250	3/8"X25"	0.11	5.48	3VX 475	3/8"X47.5"	0.20	10.42	3VX 750	3/8"X75"	0.32	16.45
3VX 265	3/8"X26.5"	0.11	5.81	3VX 500	3/8"X50"	0.21	10.97	3VX 800	3/8"X80"	0.34	17.55
3VX 280	3/8"X28.0"	0.12	6.14	3VX 520	3/8"X52"	0.22	11.41	3VX 830	3/8"X83"	0.35	18.21
3VX 300	3/8"X30"	0.13	6.58	3VX 530	3/8"X53"	0.22	11.63	3VX 850	3/8"X85"	0.36	18.64
3VX 315	3/8"X31.5"	0.13	6.91	3VX 560	3/8"X56"	0.24	12.28	3VX 900	3/8"X90"	0.38	19.74
3VX 335	3/8"X33.5"	0.14	7.35	3VX 580	3/8"X58"	0.24	12.72	3VX 950	3/8"X95"	0.40	20.84
3VX 355	3/8"X35.5"	0.15	7.79	3VX 600	3/8"X60"	0.25	13.16	3VX 1000	3/8"X100"	0.42	21.94
3VX 360	3/8"X35.5"	0.15	7.90	3VX 610	3/8"X61"	0.26	13.38	3VX 1060	3/8"X106"	0.45	23.25
3VX 375	3/8"X37.5"	0.16	8.23	3VX 630	3/8"X63"	0.26	13.82	3VX 1120	3/8"X112"	0.47	24.57
3VX 400	3/8"X40"	0.17	8.77	3VX 650	3/8"X65"	0.27	14.26	3VX 1250	3/8"X125"	0.53	27.42
3VX 425	3/8"X42.5"	0.18	9.32	3VX 670	3/8"X67"	0.28	14.70	3VX 1320	3/8"X132"	0.55	28.95
3VX 450	3/8"X45"	0.19	9.87	3VX 710	3/8"X71"	0.30	15.57	3VX 1500	3/8"X150"	0.63	32.90



Upper Width - 5/8"

Height - 35/64"

O.C.L. - Outside Circle Length

MAXI-POWER COGGED '5VX' HIGH-V SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
5VX 450	5/8"X45"	0.45	16.25	5VX 690	5/8"X69"	0.69	24.92	5VX 1030	5/8"X103"	1.03	37.20
5VX 470	5/8"X47"	0.47	16.97	5VX 700	5/8"X70"	0.70	25.28	5VX 1060	5/8"X106"	1.06	38.28
5VX 490	5/8"X49"	0.49	17.70	5VX 710	5/8"X71"	0.71	25.64	5VX 1080	5/8"X108"	1.08	39.00
5VX 500	5/8"X50"	0.50	18.06	5VX 730	5/8"X73"	0.73	26.36	5VX 1120	5/8"X112"	1.12	40.45
5VX 510	5/8"X51"	0.51	18.42	5VX 740	5/8"X74"	0.74	26.72	5VX 1150	5/8"X115"	1.15	41.53
5VX 530	5/8"X53"	0.53	19.14	5VX 750	5/8"X75"	0.75	27.08	5VX 1160	5/8"X116"	1.16	41.89
5VX 540	5/8"X54"	0.54	19.50	5VX 780	5/8"X78"	0.78	28.17	5VX 1180	5/8"X118"	1.18	42.61
5VX 550	5/8"X55"	0.55	19.86	5VX 800	5/8"X80"	0.80	28.89	5VX 1230	5/8"X123"	1.23	44.42
5VX 560	5/8"X56"	0.56	20.22	5VX 810	5/8"X81"	0.81	29.25	5VX 1250	5/8"X125"	1.25	45.14
5VX 570	5/8"X57"	0.57	20.58	5VX 830	5/8"X83"	0.83	29.97	5VX 1320	5/8"X132"	1.32	47.67
5VX 580	5/8"X58"	0.58	20.95	5VX 840	5/8"X84"	0.84	30.33	5VX 1400	5/8"X140"	1.40	50.56
5VX 590	5/8"X59"	0.59	21.31	5VX 850	5/8"X85"	0.85	30.70	5VX 1500	5/8"X150"	1.50	54.17
5VX 600	5/8"X60"	0.60	21.67	5VX 860	5/8"X86"	0.86	31.06	5VX 1600	5/8"X160"	1.60	57.78
5VX 610	5/8"X61"	0.61	22.03	5VX 880	5/8"X88"	0.88	31.78	5VX 1700	5/8"X170"	1.70	61.39
5VX 630	5/8"X63"	0.63	22.75	5VX 900	5/8"X90"	0.90	32.50	5VX 1800	5/8"X180"	1.80	65.00
5VX 650	5/8"X65"	0.65	23.47	5VX 930	5/8"X93"	0.93	33.58	5VX 1900	5/8"X190"	1.90	68.61
5VX 660	5/8"X66"	0.66	23.83	5VX 950	5/8"X95"	0.95	34.31	5VX 2000	5/8"X200"	2.00	72.23
5VX 670	5/8"X67"	0.67	24.20	5VX 960	5/8"X96"	0.96	34.67	5VX 2120	5/8"X212"	2.12	76.56
5VX 680	5/8"X68"	0.68	24.56	5VX 1000	5/8"X100"	1.00	36.11				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 1/2"

Height - 5/16"

O.C.L. - Outside Circle Length

CUT-WEDGE INDUSTRIAL THREE V SUPER POWER 'A' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
A-CW 20	1/2"X22"	0.13	5.22	A-CW 57	1/2"X59"	0.37	14.86	A-CW 95	1/2"X97"	0.61	24.77
A-CW 21	1/2"X23"	0.14	5.48	A-CW 58	1/2"X60"	0.37	15.12	A-CW 96	1/2"X98"	0.62	25.03
A-CW 22	1/2"X24"	0.14	5.74	A-CW 59	1/2"X61"	0.38	15.38	A-CW 97	1/2"X99"	0.63	25.29
A-CW 23	1/2"X25"	0.15	6.00	A-CW 60	1/2"X62"	0.39	15.65	A-CW 98	1/2"X100"	0.63	25.55
A-CW 24	1/2"X26"	0.16	6.26	A-CW 61	1/2"X63"	0.39	15.91	A-CW 99	1/2"X101"	0.64	25.81
A-CW 25	1/2"X27"	0.16	6.52	A-CW 62	1/2"X64"	0.40	16.17	A-CW 100	1/2"X102"	0.65	26.08
A-CW 26	1/2"X28"	0.17	6.78	A-CW 63	1/2"X65"	0.41	16.43	A-CW 101	1/2"X103"	0.65	26.34
A-CW 27	1/2"X29"	0.17	7.04	A-CW 64	1/2"X66"	0.41	16.69	A-CW 102	1/2"X104"	0.66	26.60
A-CW 28	1/2"X30"	0.18	7.30	A-CW 65	1/2"X67"	0.42	16.95	A-CW 103	1/2"X105"	0.67	26.86
A-CW 29	1/2"X31"	0.19	7.56	A-CW 66	1/2"X68"	0.43	17.21	A-CW 104	1/2"X106"	0.67	27.12
A-CW 30	1/2"X32"	0.19	7.82	A-CW 67	1/2"X69"	0.43	17.47	A-CW 105	1/2"X107"	0.68	27.38
A-CW 31	1/2"X33"	0.20	8.08	A-CW 68	1/2"X70"	0.44	17.73	A-CW 106	1/2"X108"	0.68	27.64
A-CW 32	1/2"X34"	0.21	8.34	A-CW 69	1/2"X71"	0.45	17.99	A-CW 107	1/2"X109"	0.69	27.90
A-CW 33	1/2"X35"	0.21	8.60	A-CW 70	1/2"X72"	0.45	18.25	A-CW 108	1/2"X110"	0.70	28.16
A-CW 34	1/2"X36"	0.22	8.87	A-CW 71	1/2"X73"	0.46	18.51	A-CW 109	1/2"X111"	0.70	28.42
A-CW 35	1/2"X37"	0.23	9.13	A-CW 72	1/2"X74"	0.47	18.77	A-CW 110	1/2"X112"	0.71	28.68
A-CW 36	1/2"X38"	0.23	9.39	A-CW 73	1/2"X75"	0.47	19.03	A-CW 111	1/2"X113"	0.72	28.94
A-CW 37	1/2"X39"	0.24	9.65	A-CW 74	1/2"X76"	0.48	19.30	A-CW 112	1/2"X114"	0.72	29.20
A-CW 38	1/2"X40"	0.25	9.91	A-CW 75	1/2"X77"	0.48	19.56	A-CW 114	1/2"X116"	0.74	29.73
A-CW 39	1/2"X41"	0.25	10.17	A-CW 76	1/2"X78"	0.49	19.82	A-CW 113	1/2"X115"	0.73	29.46
A-CW 40	1/2"X42"	0.26	10.43	A-CW 77	1/2"X79"	0.50	20.08	A-CW 115	1/2"X117"	0.74	29.99
A-CW 41	1/2"X43"	0.26	10.69	A-CW 78	1/2"X80"	0.50	20.34	A-CW 116	1/2"X118"	0.75	30.25
A-CW 42	1/2"X44"	0.27	10.95	A-CW 79	1/2"X81"	0.51	20.60	A-CW 117	1/2"X119"	0.76	30.51
A-CW 43	1/2"X45"	0.28	11.21	A-CW 80	1/2"X82"	0.52	20.86	A-CW 118	1/2"X120"	0.76	30.77
A-CW 44	1/2"X46"	0.28	11.47	A-CW 81	1/2"X83"	0.52	21.12	A-CW 119	1/2"X121"	0.77	31.03
A-CW 45	1/2"X47"	0.29	11.73	A-CW 82	1/2"X84"	0.53	21.38	A-CW 120	1/2"X122"	0.78	31.29
A-CW 46	1/2"X48"	0.30	11.99	A-CW 84	1/2"X86"	0.54	21.90	A-CW 121	1/2"X123"	0.78	31.55
A-CW 47	1/2"X49"	0.30	12.26	A-CW 85	1/2"X87"	0.55	22.16	A-CW 122	1/2"X124"	0.79	31.81
A-CW 48	1/2"X50"	0.31	12.52	A-CW 86	1/2"X88"	0.56	22.42	A-CW 123	1/2"X125"	0.79	32.07
A-CW 49	1/2"X51"	0.32	12.78	A-CW 87	1/2"X89"	0.56	22.69	A-CW 124	1/2"X126"	0.80	32.33
A-CW 50	1/2"X52"	0.32	13.04	A-CW 88	1/2"X90"	0.57	22.95	A-CW 125	1/2"X127"	0.81	32.59
A-CW 51	1/2"X53"	0.33	13.30	A-CW 89	1/2"X91"	0.57	23.21	A-CW 126	1/2"X128"	0.81	32.85
A-CW 52	1/2"X54"	0.34	13.56	A-CW 90	1/2"X92"	0.58	23.47	A-CW 127	1/2"X129"	0.82	33.12
A-CW 53	1/2"X55"	0.34	13.82	A-CW 91	1/2"X93"	0.59	23.73	A-CW 128	1/2"X130"	0.83	33.38
A-CW 54	1/2"X56"	0.35	14.08	A-CW 92	1/2"X94"	0.59	23.99	A-CW 129	1/2"X131"	0.83	33.64
A-CW 55	1/2"X57"	0.36	14.34	A-CW 93	1/2"X95"	0.60	24.25	A-CW 134	1/2"X136"	0.87	34.94
A-CW 56	1/2"X58"	0.36	14.60	A-CW 94	1/2"X96"	0.61	24.51	A-CW 135	1/2"X137"	0.87	35.20
								A-CW 136	1/2"X138"	0.88	35.46

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 21/32"

Height - 13/32"

O.C.L. - Outside Circle Length


CUT-WEDGE INDUSTRIAL THREE V SUPER POWER 'B' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
B-CW 20	21/32"X25"	0.21	6.80	B-CW 59	21/32"X62"	0.62	20.05	B-CW 98	21/32"X101"	1.03	33.30
B-CW 21	21/32"X25"	0.22	7.13	B-CW 60	21/32"X63"	0.63	20.39	B-CW 99	21/32"X102"	1.04	33.64
B-CW 22	21/32"X25"	0.23	7.47	B-CW 61	21/32"X64"	0.64	20.72	B-CW 100	21/32"X103"	1.05	33.98
B-CW 23	21/32"X26"	0.24	7.81	B-CW 62	21/32"X65"	0.65	21.06	B-CW 101	21/32"X104"	1.06	34.31
B-CW 24	21/32"X27"	0.25	8.15	B-CW 63	21/32"X66"	0.66	21.40	B-CW 102	21/32"X105"	1.07	34.65
B-CW 25	21/32"X28"	0.26	8.49	B-CW 64	21/32"X67"	0.67	21.74	B-CW 103	21/32"X106"	1.08	34.99
B-CW 26	21/32"X29"	0.27	8.83	B-CW 65	21/32"X68"	0.68	22.08	B-CW 104	21/32"X107"	1.09	35.33
B-CW 27	21/32"X30"	0.28	9.17	B-CW 66	21/32"X69"	0.69	22.42	B-CW 105	21/32"X108"	1.10	35.67
B-CW 28	21/32"X31"	0.29	9.51	B-CW 67	21/32"X70"	0.70	22.76	B-CW 106	21/32"X109"	1.11	36.01
B-CW 29	21/32"X32"	0.30	9.85	B-CW 68	21/32"X71"	0.71	23.10	B-CW 107	21/32"X110"	1.12	36.35
B-CW 30	21/32"X33"	0.32	10.19	B-CW 69	21/32"X72"	0.72	23.44	B-CW 108	21/32"X111"	1.13	36.69
B-CW 31	21/32"X34"	0.33	10.53	B-CW 70	21/32"X73"	0.74	23.78	B-CW 109	21/32"X112"	1.14	37.03
B-CW 32	21/32"X35"	0.34	10.87	B-CW 71	21/32"X74"	0.75	24.12	B-CW 110	21/32"X113"	1.16	37.37
B-CW 33	21/32"X36"	0.35	11.21	B-CW 72	21/32"X75"	0.76	24.46	B-CW 111	21/32"X114"	1.17	37.71
B-CW 34	21/32"X37"	0.36	11.55	B-CW 73	21/32"X76"	0.77	24.80	B-CW 112	21/32"X115"	1.18	38.05
B-CW 35	21/32"X38"	0.37	11.89	B-CW 74	21/32"X77"	0.78	25.14	B-CW 113	21/32"X116"	1.19	38.39
B-CW 36	21/32"X39"	0.38	12.23	B-CW 75	21/32"X78"	0.79	25.48	B-CW 114	21/32"X117"	1.20	38.73
B-CW 37	21/32"X40"	0.39	12.57	B-CW 76	21/32"X79"	0.80	25.82	B-CW 115	21/32"X118"	1.21	39.07
B-CW 38	21/32"X41"	0.40	12.91	B-CW 77	21/32"X80"	0.81	26.16	B-CW 116	21/32"X119"	1.22	39.41
B-CW 39	21/32"X42"	0.41	13.25	B-CW 78	21/32"X81"	0.82	26.50	B-CW 117	21/32"X120"	1.23	39.75
B-CW 40	21/32"X43"	0.42	13.59	B-CW 79	21/32"X82"	0.83	26.84	B-CW 118	21/32"X121"	1.24	40.09
B-CW 41	21/32"X44"	0.43	13.93	B-CW 80	21/32"X83"	0.84	27.18	B-CW 119	21/32"X122"	1.25	40.43
B-CW 42	21/32"X45"	0.44	14.27	B-CW 81	21/32"X84"	0.85	27.52	B-CW 120	21/32"X123"	1.26	40.77
B-CW 43	21/32"X46"	0.45	14.61	B-CW 82	21/32"X85"	0.86	27.86	B-CW 121	21/32"X124"	1.27	41.11
B-CW 44	21/32"X47"	0.46	14.95	B-CW 83	21/32"X86"	0.87	28.20	B-CW 122	21/32"X125"	1.28	41.45
B-CW 45	21/32"X48"	0.47	15.29	B-CW 84	21/32"X87"	0.88	28.54	B-CW 123	21/32"X126"	1.29	41.79
B-CW 46	21/32"X49"	0.48	15.63	B-CW 85	21/32"X88"	0.89	28.88	B-CW 124	21/32"X127"	1.30	42.13
B-CW 47	21/32"X50"	0.49	15.97	B-CW 86	21/32"X89"	0.90	29.22	B-CW 125	21/32"X128"	1.31	42.47
B-CW 48	21/32"X51"	0.50	16.31	B-CW 87	21/32"X90"	0.91	29.56	B-CW 126	21/32"X129"	1.32	42.81
B-CW 49	21/32"X52"	0.51	16.65	B-CW 88	21/32"X91"	0.92	29.90	B-CW 127	21/32"X130"	1.33	43.15
B-CW 50	21/32"X53"	0.53	16.99	B-CW 89	21/32"X92"	0.93	30.24	B-CW 128	21/32"X131"	1.34	43.49
B-CW 51	21/32"X54"	0.54	17.33	B-CW 90	21/32"X93"	0.95	30.58	B-CW 129	21/32"X132"	1.35	43.83
B-CW 52	21/32"X55"	0.55	17.67	B-CW 91	21/32"X94"	0.96	30.92	B-CW 130	21/32"X133"	1.37	44.17
B-CW 53	21/32"X56"	0.56	18.01	B-CW 92	21/32"X95"	0.97	31.26	B-CW 131	21/32"X134"	1.38	44.51
B-CW 54	21/32"X57"	0.57	18.35	B-CW 93	21/32"X96"	0.98	31.60	B-CW 132	21/32"X135"	1.39	44.85
B-CW 55	21/32"X58"	0.58	18.69	B-CW 94	21/32"X97"	0.99	31.94	B-CW 133	21/32"X136"	1.40	45.19
B-CW 56	21/32"X59"	0.59	19.03	B-CW 95	21/32"X98"	1.00	32.28	B-CW 134	21/32"X137"	1.41	45.53
B-CW 57	21/32"X60"	0.60	19.37	B-CW 96	21/32"X99"	1.01	32.62	B-CW 135	21/32"X138"	1.42	45.87
B-CW 58	21/32"X61"	0.61	19.71	B-CW 97	21/32"X100"	1.02	32.96	B-CW 136	21/32"X139"	1.43	46.21

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 1/2"

Height - 13/32"


O.C.L. - Outside Circle Length

DOUBLE V INDUSTRIAL 'AA' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
AA 51	1/2"X53"	0.44	16.59	AA 80	1/2"X82"	0.69	25.39	AA 128	1/2"X130"	1.104	39.57
AA 55	1/2"X57"	0.47	17.80	AA 85	1/2"X87"	0.733	26.94	AA 131	1/2"X133"	1.13	40.39
AA 58	1/2"X60"	0.50	18.84	AA 90	1/2"X92"	0.776	28.15	AA 144	1/2"X146"	1.242	44.27
AA 60	1/2"X62"	0.52	19.27	AA 92	1/2"X94"	0.794	28.79	AA 148	1/2"X150"	1.277	45.47
AA 61	1/2"X63"	0.53	19.57	AA 96	1/2"X98"	0.828	29.96	AA 161	1/2"X163"	1.389	49.35
AA 62	1/2"X64"	0.53	19.87	AA 105	1/2"X107"	0.906	32.67	AA 163	1/2"X165"	1.406	49.96
AA 67	1/2"X69"	0.58	21.47	AA 112	1/2"X114"	0.966	34.74	AA 167	1/2"X169"	1.441	51.16
AA 68	1/2"X70"	0.59	21.64	AA 118	1/2"X120"	1.018	34.74				
AA 73	1/2"X75"	0.63	23.15	AA 119	1/2"X121"	1.027	34.74				
AA 75	1/2"X77"	0.647	23.71	AA 120	1/2"X122"	1.035	37.11				



F & F BEARING COMPANY



Upper Width - 21/32"

Height - 17/32"

O.C.L. - Outside Circle Length


DOUBLE V INDUSTRIAL 'BB' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
BB 55	21/32"X58"	0.74	25.22	BB 96	21/32"X99"	1.296	40.52	BB 138	21/32"X141"	1.863	54.44
BB 60	21/32"X63"	0.81	27.16	BB 97	21/32"X100"	1.31	40.86	BB 140	21/32"X143"	1.89	55.82
BB 64	21/32"X67"	0.86	28.71	BB 103	21/32"X106"	1.391	43.02	BB 141	21/32"X144"	1.904	56.16
BB 68	21/32"X71"	0.92	30.22	BB 105	21/32"X108"	1.418	43.71	BB 144	21/32"X147"	1.944	57.16
BB 71	21/32"X74"	0.96	31.34	BB 107	21/32"X110"	1.445	44.40	BB 148	21/32"X151"	1.998	58.49
BB 72	21/32"X75"	0.97	31.72	BB 108	21/32"X111"	1.458	44.78	BB 150	21/32"X153"	2.025	59.18
BB 73	21/32"X76"	0.99	32.07	BB 111	21/32"X114"	1.499	45.82	BB 158	21/32"X161"	2.133	61.85
BB 74	21/32"X77"	1.00	32.46	BB 112	21/32"X115"	1.512	46.16	BB 162	21/32"X165"	2.187	63.19
BB 75	21/32"X78"	1.01	32.84	BB 116	21/32"X119"	1.566	47.59	BB 173	21/32"X176"	2.336	66.81
BB 78	21/32"X81"	1.05	33.97	BB 117	21/32"X120"	1.58	47.93	BB 180	21/32"X183"	2.43	69.09
BB 81	21/32"X84"	1.09	35.04	BB 118	21/32"X121"	1.593	48.28	BB 190	21/32"X193"	2.565	72.37
BB 83	21/32"X86"	1.12	35.78	BB 120	21/32"X123"	1.62	48.97	BB 195	21/32"X198"	2.633	73.97
BB 85	21/32"X88"	1.15	36.51	BB 122	21/32"X125"	1.647	49.66	BB 210	21/32"X213"	2.835	78.79
BB 90	21/32"X93"	1.22	38.32	BB 124	21/32"X127"	1.674	50.34	BB 255	21/32"X258"	3.443	92.93
BB 92	21/32"X95"	1.24	39.05	BB 128	21/32"X131"	1.728	51.72	BB 270	21/32"X273"	3.645	97.54
BB 93	21/32"X96"	1.26	39.44	BB 130	21/32"X133"	1.755	52.41	BB 277	21/32"X280"	3.74	99.70
BB 94	21/32"X97"	1.27	39.78	BB 136	21/32"X139"	1.836	54.44	BB 300	21/32"X303"	4.05	106.68

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Upper Width - 7/8"

Height - 23/32"

O.C.L. - Outside Circle Length

DOUBLE V INDUSTRIAL 'CC' SECTION BELTING

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
CC 75	23/32"X79"	1.58	56.59	CC 128	23/32"X132"	2.70	94.05	CC 210	23/32"X214"	4.43	150.65
CC 81	23/32"X85"	1.71	60.91	CC 136	23/32"X140"	2.87	99.66	CC 225	23/32"X229"	4.75	160.73
CC 85	23/32"X89"	1.79	63.75	CC 144	23/32"X148"	3.04	105.22	CC 240	23/32"X244"	5.06	170.91
CC 90	23/32"X94"	1.90	67.33	CC 148	23/32"X152"	3.12	107.97	CC 255	23/32"X259"	5.38	181.03
CC 96	23/32"X100"	2.03	71.55	CC 158	23/32"X162"	3.33	114.91	CC 270	23/32"X274"	5.70	191.16
CC 105	23/32"X109"	2.22	77.93	CC 162	23/32"X166"	3.42	117.67	CC 280	23/32"X284"	5.91	197.84
CC 112	23/32"X116"	2.36	82.84	CC 173	23/32"X177"	3.65	125.22	CC 300	23/32"X304"	6.33	211.25
CC 120	23/32"X124"	2.53	88.45	CC 180	23/32"X184"	3.80	130.04	CC 330	23/32"X334"	6.96	231.29
CC 125	23/32"X129"	2.64	91.98	CC 195	23/32"X199"	4.11	140.30				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Height - 13/32"

not including band

O.C.L. - Outside Circle Length

TORK-BANDED BELT 'B' SECTION BANDED PRICE PER RIB CALCULATION

EXAMPLE: B-47 8 RIBS

PRICE / 1 RIB = \$12.73 X 8 = \$101.84

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1R/B 47	50	0.69	12.73	1R/B 79	82	1.16	20.32	1R/B 128	131	1.87	32.32
1R/B 48	51	0.70	12.97	1R/B 80	83	1.17	20.56	1R/B 133	136	1.95	33.55
1R/B 49	52	0.72	13.21	1R/B 81	84	1.19	20.81	1R/B 136	139	1.99	34.28
1R/B 50	53	0.73	13.46	1R/B 82	85	1.20	21.05	1R/B 140	143	2.05	35.26
1R/B 51	54	0.75	13.70	1R/B 83	86	1.21	21.30	1R/B 144	147	2.11	36.24
1R/B 52	55	0.76	13.95	1R/B 84	87	1.23	21.54	1R/B 146	149	2.14	36.73
1R/B 53	56	0.78	14.19	1R/B 85	88	1.24	21.79	1R/B 148	151	2.17	37.22
1R/B 54	57	0.79	14.44	1R/B 86	89	1.26	22.03	1R/B 149	152	2.18	37.46
1R/B 55	58	0.81	14.68	1R/B 87	90	1.27	22.28	1R/B 150	153	2.20	37.71
1R/B 56	59	0.82	14.93	1R/B 88	91	1.29	22.52	1R/B 154	157	2.25	38.69
1R/B 57	60	0.83	15.17	1R/B 89	92	1.30	22.77	1R/B 156	159	2.28	39.18
1R/B 58	61	0.85	15.42	1R/B 90	93	1.32	23.01	1R/B 158	161	2.31	39.67
1R/B 59	62	0.86	15.66	1R/B 91	94	1.33	23.26	1R/B 162	165	2.37	40.65
1R/B 60	63	0.88	15.91	1R/B 92	95	1.35	23.50	1R/B 168	171	2.46	42.12
1R/B 61	64	0.89	16.15	1R/B 93	96	1.36	23.75	1R/B 173	176	2.53	43.34
1R/B 62	65	0.91	16.40	1R/B 94	97	1.38	23.99	1R/B 178	181	2.61	44.57
1R/B 63	66	0.92	16.64	1R/B 95	98	1.39	24.24	1R/B 180	183	2.63	45.06
1R/B 64	67	0.94	16.89	1R/B 96	99	1.41	24.48	1R/B 195	198	2.85	48.73
1R/B 65	68	0.95	17.13	1R/B 97	100	1.42	24.73	1R/B 199	202	2.91	49.71
1R/B 66	69	0.97	17.38	1R/B 98	101	1.43	24.97	1R/B 205	208	3.00	51.18
1R/B 67	70	0.98	17.62	1R/B 99	102	1.45	25.22	1R/B 210	213	3.07	52.40
1R/B 68	71	1.00	17.87	1R/B 100	103	1.46	25.46	1R/B 225	228	3.29	56.08
1R/B 69	72	1.01	18.11	1R/B 103	106	1.51	26.20	1R/B 240	243	3.51	59.75
1R/B 70	73	1.02	18.36	1R/B 105	108	1.54	26.69	1R/B 255	258	3.73	63.42
1R/B 71	74	1.04	18.60	1R/B 108	111	1.58	27.42	1R/B 270	273	3.95	67.10
1R/B 72	75	1.05	18.85	1R/B 112	115	1.64	28.40	1R/B 300	303	4.39	74.44
1R/B 73	76	1.07	19.09	1R/B 115	118	1.68	29.14	1R/B 310	313	4.54	76.89
1R/B 74	77	1.08	19.34	1R/B 116	119	1.70	29.38	1R/B 315	318	4.61	78.12
1R/B 75	78	1.10	19.58	1R/B 118	121	1.73	29.87	1R/B 355	358	5.20	87.91
1R/B 77	80	1.13	19.83	1R/B 120	123	1.76	30.36				
1R/B 78	81	1.14	20.07	1R/B 124	127	1.82	31.34				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Height - 17/32"

not including band

O.C.L. - Outside Circle Length

TORK-BANDED BELT 'C' SECTION BANDED

PRICE PER RIB CALCULATION

EXAMPLE: C-75 8 RIBS
PRICE /1 RIB = \$36.51 X 8= \$292.08

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1R/C 75	79	1.74	36.51	1R/C 136	140	3.16	63.96	1R/C 250	254	5.80	115.26
1R/C 81	85	1.88	39.21	1R/C 142	146	3.29	66.66	1R/C 255	259	5.92	117.51
1R/C 85	89	1.97	41.01	1R/C 144	148	3.34	67.56	1R/C 270	274	6.26	124.26
1R/C 90	94	2.09	43.26	1R/C 146	150	3.39	68.46	1R/C 285	289	6.61	131.01
1R/C 96	100	2.23	45.96	1R/C 150	154	3.48	70.26	1R/C 300	304	6.96	137.76
1R/C 100	104	2.32	47.76	1R/C 158	162	3.67	73.86	1R/C 315	319	7.31	144.51
1R/C 105	109	2.44	50.01	1R/C 162	166	3.76	75.66	1R/C 330	334	7.66	151.26
1R/C 108	112	2.51	51.36	1R/C 173	177	4.01	80.61	1R/C 345	349	8.00	158.01
1R/C 109	113	2.53	51.81	1R/C 180	184	4.18	83.76	1R/C 360	364	8.35	164.76
1R/C 112	116	2.60	53.16	1R/C 190	194	4.41	88.26	1R/C 390	394	9.05	178.26
1R/C 115	119	2.67	54.51	1R/C 195	199	4.52	90.51	1R/C 420	424	9.74	191.76
1R/C 120	124	2.78	56.76	1R/C 197	201	4.57	91.41	1R/C 450	454	10.44	205.26
1R/C 124	128	2.88	58.56	1R/C 210	214	4.87	97.26	1R/C 480	484	11.14	218.76
1R/C 126	130	2.92	59.46	1R/C 225	229	5.22	104.01				
1R/C 128	132	2.97	60.36	1R/C 240	244	5.57	110.76				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Height - 3/4"

not including band

O.C.L. - Outside Circle Length

TORK-BANDED BELT 'D' SECTION BANDED

PRICE PER RIB CALCULATION

EXAMPLE: D-144 8 RIBS
PRICE /1 RIB = \$127.00 X 8= \$1,016.00

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1R/D 144	149	7.05	127.00	1R/D 225	230	11.01	194.76	1R/D 330	335	16.15	282.59
1R/D 158	163	7.73	138.71	1R/D 240	245	11.75	207.30	1R/D 345	350	16.89	295.14
1R/D 162	167	7.93	142.06	1R/D 255	260	12.48	219.85	1R/D 360	365	17.62	307.68
1R/D 173	178	8.47	151.26	1R/D 270	275	13.22	232.40	1R/D 390	395	19.09	332.78
1R/D 180	185	8.81	157.11	1R/D 285	290	13.95	244.95	1R/D 420	425	20.56	357.87
1R/D 195	200	9.55	169.66	1R/D 300	305	14.69	257.49	1R/D 450	455	22.03	382.97
1R/D 210	215	10.28	182.21	1R/D 315	320	15.42	270.04	1R/D 480	485	23.50	408.06
								1R/D 540	545	26.43	458.25



F & F BEARING COMPANY



Height - 0.328"

not including band

O.C.L. - Outside Circle Length

TORK-BANDED BELT '3V' SECTION BANDED

PRICE PER RIB CALCULATION

EXAMPLE: 3V-500 8 RIBS
PRICE /1 RIB = \$14.07 X 8= \$112.56

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1R/3V 500	50	0.28	14.07	1R/3V 750	75	0.42	20.81	1R/3V 1060	106	0.59	29.16
1R/3V 530	53	0.30	14.88	1R/3V 780	78	0.43	21.62	1R/3V 1120	112	0.62	30.77
1R/3V 560	56	0.31	15.69	1R/3V 800	80	0.45	22.15	1R/3V 1180	118	0.66	32.39
1R/3V 600	60	0.33	16.77	1R/3V 850	85	0.47	23.5	1R/3V 1250	125	0.7	34.27
1R/3V 630	63	0.35	17.57	1R/3V 900	90	0.5	24.85	1R/3V 1320	132	0.74	36.16
1R/3V 670	67	0.37	18.65	1R/3V 950	95	0.53	26.19	1R/3V 1400	140	0.78	38.31
1R/3V 710	71	0.40	19.73	1R/3V 1000	100	0.56	27.54				

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Height - 0.547"

not including band

O.C.L. - Outside Circle Length

TORK-BANDED BELT '5V' SECTION BANDED

PRICE PER RIB CALCULATION

EXAMPLE: 5V-670 8 RIBS

PRICE /1 RIB = \$44.42 X 8= \$355.36

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1R/5V 670	67	0.91	44.42	1R/5V 1080	108	1.47	70.78	1R/5V 1900	190	2.59	123.51
1R/5V 710	71	0.97	46.99	1R/5V 1120	112	1.53	73.35	1R/5V 2000	200	2.73	129.94
1R/5V 750	75	1.02	49.56	1R/5V 1180	118	1.61	77.21	1R/5V 2120	212	2.89	137.65
1R/5V 800	80	1.09	52.78	1R/5V 1200	120	1.64	78.50	1R/5V 2240	224	3.06	145.37
1R/5V 850	85	1.16	55.99	1R/5V 1230	123	1.68	80.43	1R/5V 2360	236	3.22	153.08
1R/5V 900	90	1.23	59.21	1R/5V 1250	125	1.71	81.71	1R/5V 2500	250	3.41	162.09
1R/5V 920	92	1.26	60.49	1R/5V 1320	132	1.80	86.21	1R/5V 2650	265	3.62	171.73
1R/5V 930	93	1.27	61.14	1R/5V 1400	140	1.91	91.36	1R/5V 2800	280	3.82	181.38
1R/5V 950	95	1.30	62.42	1R/5V 1500	150	2.05	97.79	1R/5V 3000	300	4.10	194.24
1R/5V 1000	100	1.37	65.64	1R/5V 1600	160	2.18	104.22	1R/5V 3150	315	4.30	203.88
1R/5V 1040	104	1.42	68.21	1R/5V 1700	170	2.32	110.65	1R/5V 3350	335	4.57	216.74
1R/5V 1060	106	1.45	69.50	1R/5V 1800	180	2.46	117.08	1R/5V 3550	355	4.85	229.60



F & F BEARING COMPANY



Height - 0.328"

not including band

O.C.L. - Outside Circle Length

TORK-BANDED BELT '3VX' SECTION BANDED

PRICE PER RIB CALCULATION

EXAMPLE: 3VX-300 8 RIBS


PRICE /1 RIB = \$12.39 X 8= \$99.12

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1R/3VX 300	30	0.19	12.39	1R/3VX 415	41.5	0.26	15.15	1R/3VX 670	67	0.42	21.27
1R/3VX 315	31.5	0.20	12.75	1R/3VX 425	42.5	0.27	15.39	1R/3VX 710	71	0.45	22.23
1R/3VX 320	32	0.20	12.87	1R/3VX 450	45	0.28	15.99	1R/3VX 750	75	0.47	23.19
1R/3VX 325	32.5	0.21	12.99	1R/3VX 465	46.5	0.29	16.35	1R/3VX 800	80	0.51	24.39
1R/3VX 330	33	0.21	13.11	1R/3VX 475	47.5	0.30	16.59	1R/3VX 850	85	0.54	25.59
1R/3VX 335	33.5	0.21	13.23	1R/3VX 500	50	0.32	17.19	1R/3VX 900	90	0.57	26.79
1R/3VX 340	34	0.22	13.35	1R/3VX 520	52	0.33	17.67	1R/3VX 950	95	0.60	27.99
1R/3VX 355	35.5	0.22	13.71	1R/3VX 530	53	0.34	17.91	1R/3VX 1000	100	0.63	29.19
1R/3VX 360	36	0.23	13.83	1R/3VX 560	56	0.35	18.63	1R/3VX 1060	106	0.67	30.63
1R/3VX 375	37.5	0.24	14.19	1R/3VX 600	60	0.38	19.59	1R/3VX 1120	112	0.71	32.07
1R/3VX 400	40	0.25	14.79	1R/3VX 630	63	0.40	20.31	1R/3VX 1180	118	0.75	33.51

Note: Weights are approximate and may be calculated.



F & F BEARING COMPANY



Height - 0.547"

not including band

O.C.L. - Outside Circle Length

TORK-BANDED BELT '5VX' SECTION BANDED

PRICE PER RIB CALCULATION


EXAMPLE: 5VX-500 8 RIBS
PRICE 1 RIB = \$37.44 X 8 = \$299.52

Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1R/5VX 500	50	0.68	37.44	1R/5VX 740	74	1.00	54.66	1R/5VX 1000	100	1.35	73.31
1R/5VX 510	51	0.69	38.15	1R/5VX 750	75	1.01	55.37	1R/5VX 1030	103	1.39	75.90
1R/5VX 530	53	0.72	39.59	1R/5VX 760	76	1.03	56.09	1R/5VX 1050	105	1.42	77.62
1R/5VX 540	54	0.73	40.31	1R/5VX 780	78	1.05	57.53	1R/5VX 1060	106	1.43	78.49
1R/5VX 550	55	0.74	41.02	1R/5VX 790	79	1.07	58.24	1R/5VX 1080	108	1.46	80.21
1R/5VX 560	56	0.76	41.74	1R/5VX 800	80	1.08	58.96	1R/5VX 1120	112	1.51	83.66
1R/5VX 570	57	0.77	42.46	1R/5VX 810	81	1.09	59.68	1R/5VX 1150	115	1.55	86.25
1R/5VX 580	58	0.78	43.18	1R/5VX 830	83	1.12	61.11	1R/5VX 1180	118	1.59	88.84
1R/5VX 590	59	0.80	43.89	1R/5VX 840	84	1.13	61.83	1R/5VX 1210	121	1.63	91.42
1R/5VX 600	60	0.81	44.61	1R/5VX 850	85	1.15	62.55	1R/5VX 1230	123	1.66	93.15
1R/5VX 610	61	0.82	45.33	1R/5VX 860	86	1.16	63.27	1R/5VX 1250	125	1.69	94.87
1R/5VX 630	63	0.85	46.76	1R/5VX 880	88	1.19	64.70	1R/5VX 1320	132	1.78	100.91
1R/5VX 650	65	0.88	48.20	1R/5VX 890	89	1.20	65.42	1R/5VX 1400	140	1.89	107.81
1R/5VX 660	66	0.89	48.92	1R/5VX 900	90	1.22	66.14	1R/5VX 1500	150	2.03	116.44
1R/5VX 670	67	0.90	49.63	1R/5VX 910	91	1.23	66.85	1R/5VX 1700	170	2.30	133.69
1R/5VX 680	68	0.92	50.35	1R/5VX 930	93	1.26	68.29	1R/5VX 1800	180	2.43	142.31
1R/5VX 690	69	0.93	51.07	1R/5VX 940	94	1.27	69.01	1R/5VX 1900	190	2.57	150.94
1R/5VX 700	70	0.95	51.79	1R/5VX 950	95	1.28	69.72	1R/5VX 2000	200	2.70	159.56
1R/5VX 710	71	0.96	52.50	1R/5VX 960	96	1.30	70.44				
1R/5VX 730	73	0.99	53.94	1R/5VX 990	99	1.34	72.59				

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



0.2 Inch Pitch (XL)

POWERSINC TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
60XL025	6.00	0.01	3.06	116XL025	11.60	0.008	3.55	166XL025	16.60	0.012	4.01
60XL037	6.00	0.01	4.53	116XL037	11.60	0.013	5.26	166XL037	16.60	0.019	5.95
70XL025	7.00	0.01	3.15	118XL025	11.80	0.008	3.55	170XL025	17.00	0.013	4.06
70XL037	7.00	0.01	4.66	118XL037	11.80	0.013	5.26	170XL037	17.00	0.019	6.00
76XL025	7.60	0.01	3.19	120XL025	12.00	0.008	3.60	172XL025	17.20	0.013	4.06
76XL037	7.60	0.01	4.74	120XL037	12.00	0.013	5.30	172XL037	17.20	0.019	6.04
80XL025	8.00	0.01	3.23	122XL025	12.20	0.009	3.60	176XL025	17.60	0.013	4.10
80XL037	8.00	0.01	4.80	122XL037	12.20	0.014	5.35	176XL037	17.60	0.02	6.09
82XL025	8.20	0.01	3.27	124XL025	12.40	0.009	3.64	180XL025	18.00	0.013	4.15
82XL037	8.20	0.01	4.80	124XL037	12.40	0.014	5.35	180XL037	18.00	0.02	6.13
84XL025	8.40	0.01	3.27	126XL025	12.60	0.009	3.64	182XL025	18.20	0.014	4.14
84XL037	8.40	0.01	4.84	126XL037	12.60	0.014	5.40	182XL037	18.20	0.02	6.17
88XL025	8.80	0.01	3.32	128XL025	12.80	0.01	3.64	184XL025	18.40	0.014	4.21
88XL037	8.80	0.01	4.89	128XL037	12.80	0.014	5.40	184XL037	18.40	0.021	6.17
90XL025	9.00	0.01	3.32	130XL025	13.00	0.01	3.69	188XL025	18.60	0.014	4.24
90XL037	9.00	0.01	4.93	130XL037	13.00	0.015	5.44	188XL037	18.60	0.021	6.28
92XL025	9.20	0.01	3.32	134XL025	13.40	0.01	3.69	190XL025	19.00	0.014	4.24
92XL037	9.20	0.01	4.93	134XL037	13.40	0.015	5.49	190XL037	19.00	0.021	6.28
94XL025	9.40	0.01	3.37	136XL025	13.60	0.01	3.74	194XL025	19.40	0.014	4.28
94XL037	9.40	0.01	4.98	136XL037	13.60	0.015	5.53	194XL037	19.40	0.022	6.31
96XL025	9.60	0.01	3.37	140XL025	14.00	0.01	3.78	196XL025	19.60	0.015	4.28
96XL037	9.60	0.01	4.98	140XL037	14.00	0.016	5.58	196XL037	19.60	0.022	6.38
98XL025	9.80	0.01	3.41	144XL025	14.00	0.01	3.78	198XL025	19.80	0.015	4.34
98XL037	9.80	0.01	5.03	144XL037	14.00	0.016	5.63	198XL037	19.80	0.022	6.41
100XL025	10.00	0.01	3.41	146XL025	14.60	0.01	3.83	200XL025	20.00	0.015	4.34
100XL037	10.00	0.01	5.03	146XL037	14.60	0.016	5.67	200XL037	20.00	0.022	6.41
102XL025	10.20	0.01	3.41	150XL025	15.00	0.01	3.87	202XL025	20.20	0.015	4.38
102XL037	10.20	0.01	5.07	150XL037	15.00	0.017	5.72	202XL037	20.20	0.023	6.45
104XL025	10.40	0.01	3.46	152XL025	15.20	0.01	3.87	206XL025	20.60	0.015	4.38
104XL037	10.40	0.01	5.07	152XL037	15.20	0.017	5.72	206XL037	20.60	0.023	6.52
106XL025	10.60	0.01	3.46	154XL025	15.40	0.012	3.92	208XL025	20.80	0.016	4.41
106XL037	10.60	0.01	5.12	154XL037	15.40	0.017	5.77	208XL037	20.80	0.023	6.55
108XL025	10.80	0.01	3.46	156XL025	15.60	0.012	3.92	210XL025	21.00	0.016	4.41
108XL037	10.80	0.01	5.17	156XL037	15.60	0.017	5.81	210XL037	21.00	0.023	6.55
110XL025	11.00	0.01	3.51	160XL025	16.00	0.012	3.97	212XL025	21.20	0.016	4.48
110XL037	11.00	0.01	5.17	160XL037	16.00	0.018	5.86	212XL037	21.20	0.024	6.59
112XL025	11.20	0.01	3.51	162XL025	16.20	0.012	3.97	214XL025	21.40	0.016	4.48
112XL037	11.20	0.01	5.21	162XL037	16.20	0.018	5.86	214XL037	21.40	0.024	6.66
114XL025	11.40	0.01	3.55	164XL025	16.40	0.012	4.01	220XL025	22.00	0.016	4.52
114XL037	11.40	0.01	5.21	164XL037	16.40	0.018	5.90	220XL037	22.00	0.025	6.72

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



0.2 Inch Pitch (XL)

POWERSINC TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
228XL025	22.80	0.02	4.62	320XL025	32.00	0.024	5.59	414XL025	41.40	0.031	6.66
228XL037	22.80	0.03	6.83	320XL037	32.00	0.036	8.24	414XL037	41.40	0.046	9.79
230XL025	23.00	0.02	4.66	330XL025	33.00	0.025	5.72	424XL025	42.40	0.032	6.79
230XL037	23.00	0.03	6.86	330XL037	33.00	0.037	8.45	424XL037	42.40	0.047	10.00
234XL025	23.40	0.02	4.69	340XL025	34.00	0.025	5.83	450XL025	45.00	0.03	7.05
234XL037	23.40	0.03	6.93	340XL037	34.00	0.038	8.59	450XL037	45.00	0.05	10.48
240XL025	24.00	0.02	4.76	344XL025	34.00	0.026	5.86	460XL025	46.00	0.03	7.19
240XL037	24.00	0.03	7.00	344XL037	34.40	0.038	8.66	460XL037	46.00	0.05	10.63
248XL025	24.80	0.02	4.83	348XL025	34.80	0.026	5.90	490XL025	49.00	0.04	7.53
248XL037	24.80	0.03	7.14	348XL037	34.80	0.039	8.72	490XL037	49.00	0.06	11.18
250XL025	25.00	0.02	4.83	352XL025	35.20	0.026	5.97	564XL025	56.40	0.04	8.45
250XL037	25.00	0.03	7.21	352XL037	35.20	0.039	8.79	564XL037	56.40	0.06	12.51
260XL025	26.00	0.02	4.93	360XL025	36.00	0.027	6.03	580XL025	58.00	0.04	8.63
260XL037	26.00	0.03	7.34	360XL037	36.00	0.04	8.93	580XL037	58.00	0.07	12.77
270XL025	27.00	0.02	5.07	364XL025	36.40	0.027	6.10	612XL025	61.20	0.05	9.04
270XL037	27.00	0.03	7.48	364XL037	36.40	0.041	9.00	612XL037	61.20	0.07	13.39
276XL025	27.60	0.02	5.10	370XL025	37.00	0.028	6.14	630XL025	63.00	0.05	9.26
276XL037	27.60	0.03	7.55	370XL037	37.00	0.041	9.07	630XL037	63.00	0.07	13.69
280XL025	28.00	0.02	5.17	372XL025	37.20	0.028	6.17	670XL025	67.00	0.05	9.78
280XL037	28.00	0.03	7.66	372XL037	37.20	0.042	9.14	670XL037	67.00	0.07	13.39
282XL025	28.20	0.02	5.17	376XL025	27.60	0.028	6.24	710XL025	71.00	0.05	10.29
282XL037	28.20	0.03	7.66	376XL037	37.60	0.042	9.17	710XL037	71.00	0.08	15.24
286XL025	28.60	0.02	5.21	380XL025	38.00	0.028	6.28	720XL025	72.00	0.05	10.44
286XL037	28.80	0.03	7.76	380XL037	38.00	0.042	9.28	720XL037	72.00	0.08	15.42
290XL025	29.00	0.02	5.24	384XL025	38.40	0.028	6.31	788XL025	78.80	0.06	11.29
290XL037	29.00	0.03	7.79	384XL037	38.40	0.043	9.31	788XL037	78.80	0.09	16.75
300XL025	30.00	0.02	5.38	390XL025	39.00	0.029	6.38	860XL025	86.00	0.06	12.29
300XL037	30.00	0.03	7.93	390XL037	39.00	0.044	9.41	860XL037	86.00	0.10	18.19
310XL025	31.00	0.02	5.48	400XL025	40.00	0.03	6.52	1032XL025	103.20	0.08	14.68
310XL037	31.00	0.04	8.10	400XL037	40.00	0.045	9.59	1032XL037	103.20	0.12	21.73
316XL025	31.60	0.02	5.55	412XL025	41.20	0.031	6.66				
316XL037	31.60	0.04	8.21	412XL037	41.20	0.046	9.79				

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



0.375 Inch Pitch (L)

POWERSINC TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
98L050	9.75	0.02	7.10	255L050	25.50	0.06	10.83	367L050	34.50	0.08	14.03
98L075	9.75	0.03	10.66	255L075	25.50	0.09	16.24	367L075	34.50	0.12	21.03
98L100	9.75	0.05	14.21	255L100	25.50	0.12	21.69	367L100	34.50	0.16	28.03
124L050	12.38	0.03	7.66	263L050	26.30	0.06	11.07	375L050	36.00	0.08	14.24
124L075	12.38	0.04	11.48	263L075	26.30	0.09	16.62	375L075	36.00	0.13	21.38
124L100	12.38	0.06	15.31	263L100	26.30	0.01	22.14	375L100	36.00	0.17	28.52
135L050	13.50	0.03	7.90	270L050	27.00	0.06	11.24	390L050	36.75	0.09	14.72
135L075	13.50	0.05	11.83	270L075	27.00	0.10	16.90	390L075	36.75	0.13	22.07
135L100	13.50	0.06	15.76	270L100	27.00	0.13	22.52	390L100	36.75	0.17	29.41
150L050	15.00	0.04	8.24	277L050	27.70	0.07	11.45	394L050	37.50	0.09	14.86
150L075	15.00	0.05	12.38	277L075	27.70	0.10	17.17	394L075	37.50	0.13	22.28
150L100	15.00	0.07	16.52	277L100	27.70	0.13	22.86	394L100	37.50	0.18	29.69
165L050	16.50	0.04	8.59	300L050	30.00	0.07	12.07	420L050	38.20	0.09	15.62
165L075	16.50	0.06	12.86	300L075	30.00	0.11	18.14	420L075	38.20	0.13	23.45
165L100	16.50	0.08	17.17	300L100	30.00	0.14	24.17	420L100	38.20	0.18	31.28
187L050	18.75	0.04	9.14	304L050	30.38	0.07	12.21	427L050	39.00	0.09	15.86
187L075	18.75	0.07	13.69	304L075	30.38	0.11	18.34	427L075	39.00	0.14	23.79
187L100	18.75	0.09	18.28	304L100	30.38	0.14	24.45	427L100	39.00	0.18	31.72
203L050	20.30	0.05	9.38	315L050	31.50	0.07	12.48	439L050	42.00	0.10	16.24
203L075	20.30	0.07	14.03	315L075	31.50	0.11	18.76	439L075	42.00	0.15	24.34
203L100	20.30	0.10	18.72	315L100	31.50	0.15	25.00	439L100	42.00	0.20	32.48
210L050	21.00	0.05	9.69	320L050	31.88	0.08	12.62	450L025	9.75	0.01	8.28
210L075	21.00	0.07	14.52	320L075	31.88	0.11	18.97	450L037	9.75	0.02	12.41
210L100	21.00	0.10	19.38	320L100	31.88	0.15	25.28	450L050	9.75	0.023	16.55
225L050	22.50	0.05	10.07	322L050	32.25	0.08	12.72	450L075	9.75	0.034	24.86
225L075	22.50	0.08	15.07	322L075	32.25	0.11	19.10	450L100	9.75	0.046	33.17
225L100	22.50	0.01	20.10	322L100	32.25	0.15	25.45	465L025	13.50	0.02	8.52
240L050	24.00	0.06	10.48	345L050	33.38	0.08	13.38	465L037	13.50	0.02	12.79
240L075	24.00	0.08	15.69	345L075	33.38	0.12	20.07	465L050	13.50	0.032	17.07
240L100	24.00	0.11	20.93	345L100	33.38	0.16	26.76	465L075	13.50	0.047	25.59
244L050	24.40	0.06	10.55	360L050	33.75	0.08	13.83	465L100	13.50	0.063	34.07
244L075	24.40	0.09	15.83	360L075	33.75	0.12	20.76				
244L100	24.40	0.11	21.14	360L100	33.75	0.16	27.69				

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



0.375 Inch Pitch (L)

POWERSINC TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
480L025	15.00	0.02	8.76	540L100	18.75	0.09	39.03	619L075	24.00	0.08	33.34
480L037	15.00	0.03	13.14	548L025	20.30	0.02	9.90	619L100	24.00	0.11	44.45
480L050	15.00	0.04	17.52	548L037	20.30	0.04	14.83	660L025	66.00	0.08	11.83
480L075	15.00	0.05	26.28	548L050	20.30	0.05	19.79	660L037	66.00	0.12	17.76
480L100	15.00	0.07	35.07	548L075	20.30	0.07	29.66	660L050	66.00	0.16	23.66
510L025	16.50	0.02	9.24	548L100	20.30	0.10	39.59	660L075	66.00	0.23	35.52
510L037	16.50	0.03	13.86	581L025	21.00	0.02	10.45	660L100	66.00	0.31	47.38
510L050	16.50	0.04	18.48	581L037	21.00	0.04	15.66	697L025	69.75	0.08	12.48
510L075	16.50	0.06	27.76	581L050	21.00	0.05	20.90	697L037	69.75	0.12	18.76
510L100	16.50	0.08	37.03	581L075	21.00	0.07	31.38	697L050	69.75	0.16	25.00
525L025	17.20	0.02	9.24	581L100	21.00	0.10	41.79	697L075	69.75	0.25	37.55
525L037	17.20	0.03	13.86	600L025	22.50	0.03	10.76	697L100	69.75	0.33	50.03
525L050	17.20	0.04	18.48	600L037	22.50	0.04	16.14	728L025	72.75	0.09	13.07
525L075	17.20	0.06	27.76	600L050	22.50	0.05	21.55	728L037	72.75	0.13	19.62
525L100	17.20	0.08	38.02	600L075	22.50	0.08	32.34	728L050	72.75	0.17	26.14
540L025	18.75	0.02	9.76	600L100	22.50	0.01	43.14	728L075	72.75	0.26	39.21
540L037	18.75	0.03	14.62	619L025	24.00	0.03	11.10	728L100	72.75	0.34	52.31
540L050	18.75	0.04	19.52	619L037	24.00	0.04	16.69				
540L075	18.75	0.07	29.28	619L050	24.00	0.06	22.24				

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



0.500" Inch Pitch (H)

POWERSINC TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
230H100	23.00	0.13	21.55	330H300	33.00	0.57	79.00	420H200	42.00	0.49	62.10
230H150	23.00	0.20	32.31	335H100	33.50	0.19	26.55	420H300	42.00	0.73	93.14
230H200	23.00	0.27	43.07	335H150	33.50	0.29	39.86	430H100	43.00	0.25	31.55
230H300	23.00	0.40	64.62	335H200	33.50	0.39	53.14	430H150	43.00	0.37	47.34
240H100	24.00	0.14	22.00	335H300	33.50	0.58	79.69	430H200	43.00	0.50	63.10
240H150	24.00	0.21	33.00	340H100	34.00	0.20	26.79	430H300	43.00	0.75	94.66
240H200	24.00	0.28	44.00	340H150	34.00	0.30	40.21	450H100	45.00	0.26	32.66
240H300	24.00	0.42	66.00	340H200	34.00	0.39	53.59	450H150	45.00	0.39	49.00
255H100	25.50	0.15	22.69	340H300	34.00	0.59	80.38	450H200	45.00	0.52	65.31
255H150	25.50	0.22	34.03	350H100	35.00	0.20	27.34	450H300	45.00	0.78	97.97
255H200	25.50	0.30	45.38	350H150	35.00	0.31	41.03	465H100	46.50	0.27	33.55
255H300	25.50	0.44	68.07	350H200	35.00	0.41	54.69	465H150	46.50	0.41	50.28
270H100	27.00	0.16	23.38	350H300	35.00	0.61	82.03	465H200	46.50	0.54	67.07
270H150	27.00	0.24	35.07	360H100	36.00	0.21	27.86	465H300	46.50	0.81	100.59
270H200	27.00	0.31	46.76	360H150	36.00	0.31	41.79	480H100	48.00	0.28	34.34
270H300	27.00	0.47	70.14	360H200	36.00	0.42	55.72	480H150	48.00	0.42	51.55
280H100	28.00	0.16	23.83	360H300	36.00	0.63	83.59	480H200	48.00	0.56	68.72
280H150	28.00	0.24	35.76	370H100	37.00	0.22	28.38	480H300	48.00	0.84	103.10
280H200	28.00	0.33	47.69	370H150	37.00	0.32	42.55	490H100	49.00	0.28	34.90
280H300	28.00	0.49	71.52	370H200	37.00	0.43	56.76	490H150	49.00	0.43	52.34
300H100	30.00	0.17	24.83	370H300	37.00	0.64	85.07	490H200	49.00	0.57	69.86
300H150	30.00	0.26	37.21	375H100	37.50	0.22	28.62	490H300	49.00	0.85	104.76
300H200	30.00	0.35	49.62	375H150	37.50	0.33	42.93	510H100	51.00	0.30	36.07
300H300	30.00	0.52	74.45	375H200	37.50	0.44	57.31	510H150	51.00	0.44	54.10
310H100	31.00	0.18	25.31	375H300	37.50	0.65	85.93	510H200	51.00	0.59	72.14
310H150	31.00	0.27	37.97	390H100	39.00	0.23	29.45	510H300	51.00	0.89	108.21
310H200	31.00	0.36	50.66	390H150	39.00	0.34	44.14	530H100	53.00	0.31	37.28
310H300	31.00	0.54	75.97	390H200	39.00	0.45	58.86	530H150	53.00	0.46	55.90
315H100	31.50	0.18	25.56	390H300	39.00	0.68	88.31	530H200	53.00	0.62	74.52
315H150	31.50	0.27	37.55	400H100	40.00	0.23	29.93	530H300	53.00	0.92	111.79
315H200	31.50	0.37	50.10	400H150	40.00	0.35	44.90	540H100	54.00	0.31	37.83
315H300	31.50	0.55	75.14	400H200	40.00	0.46	59.90	540H150	54.00	0.47	56.76
320H100	32.00	0.19	25.83	400H300	40.00	0.70	89.79	540H200	54.00	0.63	75.66
320H150	32.00	0.28	38.76	410H100	41.00	0.24	30.48	540H300	54.00	0.94	113.45
320H200	32.00	0.37	51.66	410H150	41.00	0.36	45.72	560H100	56.00	0.33	39.03
320H300	32.00	0.56	77.48	410H200	41.00	0.48	61.00	560H150	56.00	0.49	58.52
330H100	33.00	0.19	26.34	410H300	41.00	0.71	91.48	560H200	56.00	0.65	78.03
330H150	33.00	0.29	39.52	420H100	42.00	0.24	31.03	560H300	56.00	0.98	117.07
330H200	33.00	0.38	52.66	420H150	42.00	0.37	46.55	570H100	57.00	0.33	39.62

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



0.500" Inch Pitch (H)

POWERSINC TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
570H150	57.00	0.50	59.45	750H300	75.00	1.31	153.03	985H150	98.50	0.86	101.07
570H200	57.00	0.66	79.24	770H100	77.00	0.45	52.34	985H200	98.50	1.14	134.76
570H300	57.00	0.99	118.83	770H150	77.00	0.67	78.52	985H300	98.50	1.71	202.14
580H100	58.00	0.34	40.21	770H200	77.00	0.89	104.72	1000H100	100.00	0.58	68.48
580H150	58.00	0.51	60.31	770H300	77.00	1.34	157.03	1000H150	100.00	0.87	102.72
580H200	58.00	0.67	80.45	800H100	80.00	0.464	54.38	1000H200	100.00	1.16	136.97
580H300	58.00	1.01	120.66	800H150	80.00	0.70	81.59	1000H300	100.00	1.74	205.48
600H100	60.00	0.35	41.48	800H200	80.00	0.93	108.76	1020H100	102.00	0.59	69.97
600H150	60.00	0.52	62.21	800H300	80.00	1.39	163.10	1020H150	102.00	0.89	104.93
600H200	60.00	0.70	82.93	810H100	81.00	0.47	55.00	1020H200	102.00	1.18	139.93
600H300	60.00	1.04	124.38	810H150	81.00	0.71	82.55	1020H300	102.00	1.78	209.90
605H100	60.50	0.35	41.72	810H200	81.00	0.94	110.07	1050H100	105.00	0.61	72.17
605H150	60.50	0.53	62.62	810H300	81.00	1.41	165.07	1050H150	105.00	0.91	108.28
605H200	60.50	0.70	83.48	820H100	82.00	0.48	55.72	1050H200	105.00	1.22	144.34
605H300	60.50	1.05	125.24	820H150	82.00	0.71	83.59	1050H300	105.00	1.83	216.55
630H100	63.00	0.37	43.31	820H200	82.00	0.95	111.41	1100H100	110.00	0.64	75.93
630H150	63.00	0.55	64.97	820H300	82.00	1.43	167.14	1100H150	110.00	0.96	113.86
630H200	63.00	0.73	86.62	840H100	84.00	0.49	57.10	1100H200	110.00	1.28	151.83
630H300	63.00	1.10	129.90	840H150	84.00	0.73	85.66	1100H300	110.00	1.91	227.76
650H100	65.00	0.38	44.59	840H200	84.00	0.98	114.21	1140H100	114.00	0.66	79.00
650H150	65.00	0.57	66.83	840H300	84.00	1.46	171.28	1140H150	114.00	0.99	118.52
650H200	65.00	0.75	89.10	850H100	85.00	0.49	57.79	1140H200	114.00	1.32	158.00
650H300	65.00	1.13	133.69	850H150	85.00	0.74	86.69	1140H300	114.00	1.98	237.00
660H100	66.00	0.38	45.21	850H200	85.00	0.99	115.59	1250H100	125.00	0.73	87.59
660H150	66.00	0.57	67.83	850H300	85.00	1.48	173.38	1250H150	125.00	1.09	131.38
660H200	66.00	0.77	90.41	860H100	86.00	0.50	58.48	1250H200	125.00	1.45	175.17
660H300	66.00	1.15	135.59	860H150	86.00	0.75	87.72	1250H300	125.00	2.18	262.76
680H100	68.00	0.39	46.45	860H200	86.00	1.00	116.97	1325H100	132.50	0.77	93.62
680H150	68.00	0.59	69.66	860H300	86.00	1.50	175.45	1325H150	132.50	1.15	140.45
680H200	68.00	0.79	92.90	880H100	88.00	0.51	59.86	1325H200	132.50	1.54	187.24
680H300	68.00	1.18	139.31	880H150	88.00	0.77	89.79	1325H300	132.50	2.31	280.86
700H100	70.00	0.41	47.76	880H200	88.00	1.02	119.72	1350H100	135.00	0.78	95.66
700H150	70.00	0.61	71.62	880H300	88.00	1.53	179.59	1350H150	135.00	1.18	143.48
700H200	70.00	0.81	95.48	900H100	90.00	0.52	61.31	1350H200	135.00	1.57	191.31
700H300	70.00	1.22	143.21	900H150	90.00	0.78	91.93	1350H300	135.00	2.35	286.97
730H100	73.00	0.42	49.72	900H200	90.00	1.04	122.59	1400H100	140.00	0.81	99.76
730H150	73.00	0.64	74.55	900H300	90.00	1.57	183.90	1400H150	140.00	1.22	149.66
730H200	73.00	0.85	99.45	950H100	95.00	0.55	64.86	1400H200	140.00	1.62	199.52
730H300	73.00	1.27	149.17	950H150	95.00	0.83	97.28	1400H300	140.00	2.44	299.28
750H100	75.00	0.44	51.03	950H200	95.00	1.10	129.69	1700H100	170.00	0.99	125.48
750H150	75.00	0.65	76.52	950H300	95.00	1.65	194.55	1700H150	170.00	1.48	188.24
750H200	75.00	0.87	102.03	985H100	98.50	0.57	67.38	1700H200	170.00	1.97	251.00
								1700H300	170.00	2.96	376.48

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



5.0 mm Pitch (5M)

POWERSINC HT TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
225-5M-9	225	0.02	6.77	535-5M-9	535	0.035	9.83	890-5M-9	890	0.06	13.84
225-5M-15	225	0.02	11.47	535-5M-15	535	0.058	16.34	890-5M-15	890	0.10	23.06
225-5M-25	225	0.04	18.84	535-5M-25	535	0.097	27.24	890-5M-25	890	0.16	38.45
265-5M-9	265	0.02	7.16	565-5M-9	565	0.037	10.13	900-5M-9	900	0.06	13.97
265-5M-15	265	0.03	11.9	565-5M-15	565	0.061	16.90	900-5M-15	900	0.10	23.28
265-5M-25	265	0.05	19.83	565-5M-25	565	0.102	28.15	900-5M-25	900	0.16	38.75
295-5M-9	295	0.02	7.41	600-5M-9	600	0.039	10.52	925-5M-9	925	0.06	14.27
295-5M-15	295	0.03	12.37	600-5M-15	600	0.065	17.54	925-5M-15	925	0.10	23.75
295-5M-25	295	0.05	20.6	600-5M-25	600	0.109	29.22	925-5M-25	925	0.17	39.61
300-5M-9	300	0.02	7.46	615-5M-9	615	0.04	10.69	1000-5M-9	1000	0.07	15.17
300-5M-15	300	0.03	12.46	615-5M-15	615	0.067	17.80	1000-5M-15	1000	0.11	25.3
300-5M-25	300	0.05	20.73	615-5M-25	615	0.111	29.66	1000-5M-25	1000	0.18	42.16
330-5M-9	330	0.02	7.76	620-5M-9	620	0.04	10.73	1050-5M-9	1050	0.07	15.78
330-5M-15	330	0.04	12.89	620-5M-15	620	0.067	17.89	1050-5M-15	1050	0.11	26.34
330-5M-25	330	0.06	21.51	620-5M-25	620	0.112	29.83	1050-5M-25	1050	0.19	43.88
350-5M-9	350	0.02	7.93	630-5M-9	630	0.041	10.86	1125-5M-9	1125	0.07	16.72
350-5M-15	350	0.04	13.23	630-5M-15	630	0.068	18.06	1125-5M-15	1125	0.12	27.89
350-5M-25	350	0.06	22.03	630-5M-25	630	0.114	30.13	1125-5M-25	1125	0.20	46.51
375-5M-9	375	0.02	8.19	635-5M-9	635	0.041	10.13	1270-5M-9	1270	0.08	18.62
375-5M-15	375	0.04	13.62	635-5M-15	635	0.069	18.15	1270-5M-15	1270	0.14	31.03
375-5M-25	375	0.07	22.72	635-5M-25	635	0.115	30.26	1270-5M-25	1270	0.23	51.68
400-5M-9	400	0.03	8.41	670-5M-9	670	0.044	11.29	1500-5M-9	1500	0.10	21.68
400-5M-15	400	0.04	14.05	670-5M-15	670	0.073	18.79	1500-5M-15	1500	0.16	36.16
400-5M-25	400	0.07	23.41	670-5M-25	670	0.121	31.34	1500-5M-25	1500	0.27	60.26
425-5M-9	425	0.03	8.66	710-5M-9	710	0.046	11.72	1595-5M-9	1595	0.10	22.97
425-5M-15	425	0.05	14.44	710-5M-15	710	0.077	19.57	1595-5M-15	1595	0.17	38.32
425-5M-25	425	0.08	24.09	710-5M-25	710	0.129	32.59	1595-5M-25	1595	0.29	63.88
450-5M-9	450	0.03	8.92	740-5M-9	740	0.048	12.07	1635-5M-9	1635	0.11	23.53
450-5M-15	450	0.05	14.87	740-5M-15	740	0.08	20.13	1635-5M-15	1635	0.18	39.27
450-5M-25	450	0.08	24.78	740-5M-25	740	0.134	33.53	1635-5M-25	1635	0.30	65.43
460-5M-9	460	0.03	9.05	755-5M-9	755	0.049	12.24	1690-5M-9	1690	0.11	24.31
460-5M-15	460	0.05	15.04	755-5M-15	755	0.082	20.43	1690-5M-15	1690	0.18	40.52
460-5M-25	460	0.08	25.09	755-5M-25	755	0.137	34.05	1690-5M-25	1690	0.31	67.54
475-5M-9	475	0.03	9.18	800-5M-9	800	0.052	12.76	1700-5M-9	1700	0.11	24.48
475-5M-15	475	0.05	15.3	800-5M-15	800	0.087	21.29	1700-5M-15	1700	0.19	40.78
475-5M-25	475	0.09	25.52	800-5M-25	800	0.145	35.47	1700-5M-25	1700	0.31	67.93
500-5M-9	500	0.03	9.44	835-5M-9	835	0.054	13.19	1730-5M-9	1730	0.11	24.87
500-5M-15	500	0.05	15.73	835-5M-15	835	0.091	21.98	1730-5M-15	1730	0.19	41.47
500-5M-25	500	0.09	26.25	835-5M-25	835	0.151	36.64	1730-5M-25	1730	0.31	69.14

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



5.0 mm Pitch (5M)

POWERSINC HT TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1790-5M-9	1790	0.12	25.65	2100-5M-25	2100	0.38	84.05	3060-5M-15	3060	0.333	75.52
1790-5M-15	1790	0.20	42.89	2160-5M-9	2160	0.14	31.16	3060-5M-25	3060	0.554	125.91
1790-5M-25	1790	0.32	71.51	2160-5M-15	2160	0.24	51.94	3120-5M-9	3120	0.203	46.29
1800-5M-9	1800	0.12	25.86	2160-5M-25	2160	0.39	86.55	3120-5M-15	3120	0.339	77.20
1800-5M-15	1800	0.20	43.15	2250-5M-9	2250	0.15	32.50	3120-5M-25	3120	0.565	128.62
1800-5M-25	1800	0.33	71.90	2250-5M-15	2250	0.25	54.18	3255-5M-9	3255	0.212	48.53
1870-5M-9	1870	0.12	26.90	2250-5M-25	2250	0.41	90.30	3255-5M-15	3255	0.354	80.91
1870-5M-15	1870	0.20	44.83	2350-5M-9	2350	0.15	34.05	3255-5M-25	3255	0.59	134.87
1870-5M-25	1870	0.34	74.70	2350-5M-15	2350	0.26	56.72	3430-5M-9	3430	0.224	51.51
1945-5M-9	1945	0.13	27.97	2350-5M-25	2350	0.43	94.57	3430-5M-15	3430	0.373	85.39
1945-5M-15	1945	0.21	46.64	2460-5M-9	2460	0.16	35.73	3430-5M-25	3430	0.621	143.02
1945-5M-25	1945	0.35	77.72	2460-5M-15	2460	0.27	59.57				
2000-5M-9	2000	0.13	28.79	2460-5M-25	2460	0.45	99.27				
2000-5M-15	2000	0.22	47.97	2525-5M-9	2525	0.17	36.77				
2000-5M-25	2000	0.36	79.96	2525-5M-15	2525	0.27	61.25				
2100-5M-9	2100	0.14	30.26	2525-5M-25	2525	0.46	102.07				
2100-5M-15	2100	0.23	50.43	3060-5M-9	3060	0.20	45.30				

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



8.0 mm Pitch (8M)

POWERSINC HT TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
352-8M-20	352	0.08	18.32	536-8M-50	536	0.32	54.66	656-8M-20	656	0.16	24.35
352-8M-30	352	0.13	27.50	536-8M-85	536	0.55	92.93	656-8M-30	656	0.24	36.51
352-8M-50	352	0.21	45.82	560-8M-20	560	0.13	22.37	656-8M-50	656	0.39	60.86
352-8M-85	352	0.36	77.89	560-8M-30	560	0.20	33.53	656-8M-85	656	0.67	103.45
400-8M-20	400	0.10	19.22	560-8M-50	560	0.34	12.76	680-8M-20	680	0.16	24.83
400-8M-30	400	0.14	28.84	560-8M-85	560	0.57	95.00	680-8M-30	680	0.25	37.28
400-8M-50	400	0.24	48.06	568-8M-20	568	0.14	22.50	680-8M-50	680	0.41	62.11
400-8M-85	400	0.41	81.25	568-8M-30	568	0.20	33.75	680-8M-85	680	0.70	105.60
416-8M-20	416	0.10	19.53	568-8M-50	568	0.34	56.29	688-8M-20	688	0.17	25.00
416-8M-30	416	0.15	29.27	568-8M-85	568	0.58	95.69	688-8M-30	688	0.25	37.54
416-8M-50	416	0.25	48.79	576-8M-20	576	0.14	22.67	688-8M-50	688	0.41	62.54
416-8M-85	416	0.43	82.97	576-8M-30	576	0.21	34.01	688-8M-85	688	0.70	106.34
424-8M-20	424	0.10	19.66	576-8M-50	576	0.35	19.22	696-8M-20	696	0.17	25.17
424-8M-30	424	0.15	29.53	576-8M-85	576	0.59	19.22	696-8M-30	696	0.25	37.80
424-8M-50	424	0.26	50.91	584-8M-20	584	0.14	19.22	696-8M-50	696	0.42	62.97
424-8M-85	424	0.43	83.62	584-8M-30	584	0.21	19.22	696-8M-85	696	0.71	107.07
440-8M-20	440	0.11	19.96	584-8M-50	584	0.35	19.22	712-8M-20	712	0.17	25.52
440-8M-30	440	0.16	29.96	584-8M-85	584	0.60	19.22	712-8M-30	712	0.26	38.32
440-8M-50	440	0.26	49.96	600-8M-20	600	0.14	23.19	712-8M-50	712	0.43	63.84
440-8M-85	440	0.45	84.91	600-8M-30	600	0.22	34.74	712-8M-85	712	0.73	108.53
472-8M-20	472	0.11	20.60	600-8M-50	600	0.36	57.93	720-8M-20	720	0.17	25.69
472-8M-30	472	0.17	30.91	600-8M-85	600	0.61	98.49	720-8M-30	720	0.26	38.58
472-8M-50	472	0.28	51.51	608-8M-20	608	0.15	23.32	720-8M-50	720	0.43	64.27
472-8M-85	472	0.48	87.54	608-8M-30	608	0.22	35.00	720-8M-85	720	0.74	109.27
480-8M-20	480	0.12	20.73	608-8M-50	608	0.37	58.32	728-8M-20	728	0.18	25.86
480-8M-30	480	0.17	31.12	608-8M-85	608	0.62	99.18	728-8M-30	728	0.26	38.84
480-8M-50	480	0.29	51.90	624-8M-20	624	0.15	23.66	728-8M-50	728	0.44	64.70
480-8M-85	480	0.49	88.19	624-8M-30	624	0.23	35.52	728-8M-85	728	0.74	110.00
512-8M-20	512	0.12	21.38	624-8M-50	624	0.38	59.18	760-8M-20	760	0.18	26.59
512-8M-30	512	0.18	32.07	624-8M-85	624	0.64	100.60	760-8M-30	760	0.27	39.87
512-8M-50	512	0.31	53.45	632-8M-20	632	0.15	23.84	760-8M-50	760	0.46	66.42
512-8M-85	512	0.52	90.91	632-8M-30	632	0.23	35.73	760-8M-85	760	0.78	112.93
520-8M-20	520	0.13	21.55	632-8M-50	632	0.38	59.57	776-8M-20	776	0.19	26.94
520-8M-30	520	0.19	32.33	632-8M-85	632	0.65	101.29	776-8M-30	776	0.28	40.39
520-8M-50	520	0.31	53.88	640-8M-20	640	0.15	24.01	776-8M-50	776	0.47	67.33
520-8M-85	520	0.53	91.55	640-8M-30	640	0.23	35.99	776-8M-85	776	0.79	114.44
536-8M-20	536	0.13	21.85	640-8M-50	640	0.38	60.00	792-8M-20	792	0.19	27.28
536-8M-30	536	0.19	32.80	640-8M-85	640	0.65	102.03	792-8M-30	792	0.29	40.91

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



8.0 mm Pitch (8M)

POWERSINC HT TIMING BELT



Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
792-8M-50	792	0.48	68.19	896-8M-50	896	0.54	74.05	1056-8M-50	1056	0.64	83.36
792-8M-85	792	0.81	115.95	896-8M-85	896	0.92	125.86	1056-8M-85	1056	1.08	141.68
800-8M-20	800	0.19	27.46	920-8M-20	920	0.22	30.22	1064-8M-20	1064	0.26	33.53
800-8M-30	800	0.29	41.16	920-8M-30	920	0.33	43.88	1064-8M-30	1064	0.38	50.30
800-8M-50	800	0.48	68.62	920-8M-50	920	0.55	75.39	1064-8M-50	1064	0.64	83.84
800-8M-85	800	0.82	116.68	920-8M-85	920	0.94	128.19	1064-8M-85	1064	1.09	142.50
816-8M-20	816	0.20	27.80	928-8M-20	928	0.22	30.34	1080-8M-20	1080	0.26	33.92
816-8M-30	816	0.29	41.72	928-8M-30	928	0.33	45.52	1080-8M-30	1080	0.39	50.86
816-8M-50	816	0.49	69.53	928-8M-50	928	0.56	75.86	1080-8M-50	1080	0.65	84.78
816-8M-85	816	0.83	118.19	928-8M-85	928	0.95	128.97	1080-8M-85	1080	1.10	144.09
824-8M-20	824	0.20	27.97	952-8M-20	952	0.23	30.91	1104-8M-20	1104	0.27	34.48
824-8M-30	824	0.30	41.98	952-8M-30	952	0.34	46.34	1104-8M-30	1104	0.40	51.72
824-8M-50	824	0.50	69.96	952-8M-50	952	0.57	77.24	1104-8M-50	1104	0.66	86.21
824-8M-85	824	0.84	118.97	952-8M-85	952	0.97	131.34	1104-8M-85	1104	1.13	146.55
840-8M-20	840	0.20	28.36	960-8M-20	960	0.23	31.08	1120-8M-20	1120	0.27	34.87
840-8M-30	840	0.30	41.98	960-8M-30	960	0.35	46.59	1120-8M-30	1120	0.40	52.28
840-8M-50	840	0.51	70.86	960-8M-50	960	0.58	77.72	1120-8M-50	1120	0.67	87.20
840-8M-85	840	0.86	120.47	960-8M-85	960	0.98	132.11	1120-8M-85	1120	1.15	148.23
848-8M-20	848	0.20	28.53	968-8M-20	968	0.23	31.25	1128-8M-20	1128	0.27	35.04
848-8M-30	848	0.31	42.80	968-8M-30	968	0.35	46.90	1128-8M-30	1128	0.41	52.59
848-8M-50	848	0.51	71.34	968-8M-50	968	0.58	78.19	1128-8M-50	1128	0.68	87.67
848-8M-85	848	0.87	121.25	968-8M-85	968	0.99	132.89	1128-8M-85	1128	1.15	149.01
856-8M-20	856	0.21	28.71	976-8M-20	976	0.23	31.47	1136-8M-20	1136	0.27	35.26
856-8M-30	856	0.31	43.06	976-8M-30	976	0.35	47.20	1136-8M-30	1136	0.41	52.89
856-8M-50	856	0.51	71.77	976-8M-50	976	0.59	78.62	1136-8M-50	1136	0.68	88.15
856-8M-85	856	0.88	121.98	976-8M-85	976	1.00	133.71	1136-8M-85	1136	1.16	149.83
864-8M-20	864	0.21	28.88	1000-8M-20	1000	0.24	32.03	1152-8M-20	1152	0.28	35.65
864-8M-30	864	0.31	43.32	1000-8M-30	1000	0.36	48.02	1152-8M-30	1152	0.42	53.45
864-8M-50	864	0.52	72.20	1000-8M-50	1000	0.60	80.04	1152-8M-50	1152	0.69	89.09
864-8M-85	864	0.88	122.76	1000-8M-85	1000	1.02	136.08	1152-8M-85	1152	1.18	151.47
872-8M-20	872	0.21	29.05	1016-8M-20	1016	0.24	32.37	1160-8M-20	1160	0.28	35.82
872-8M-30	872	0.31	43.62	1016-8M-30	1016	0.37	48.58	1160-8M-30	1160	0.42	53.75
872-8M-50	872	0.52	72.67	1016-8M-50	1016	0.61	80.99	1160-8M-50	1160	0.70	89.61
872-8M-85	872	0.89	123.53	1016-8M-85	1016	1.04	137.67	1160-8M-85	1160	1.19	152.28
880-8M-20	880	0.21	29.27	1040-8M-20	1040	0.25	32.97	1168-8M-20	1168	0.28	36.03
880-8M-30	880	0.32	43.88	1040-8M-30	1040	0.38	49.48	1168-8M-30	1168	0.42	54.05
880-8M-50	880	0.53	73.10	1040-8M-50	1040	0.63	82.46	1168-8M-50	1168	0.70	90.09
880-8M-85	880	0.90	124.31	1040-8M-85	1040	1.06	140.17	1168-8M-85	1168	1.19	153.15
896-8M-20	896	0.22	29.61	1056-8M-20	1056	0.25	33.32	1184-8M-20	1184	0.28	36.42
896-8M-30	896	0.32	44.44	1056-8M-30	1056	0.38	50.00	1184-8M-30	1184	0.43	54.61

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



8.0 mm Pitch (8M)

POWERSINC HT TIMING BELT



Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1184-8M-50	1184	0.71	91.03	1320-8M-50	1320	0.79	99.48	1480-8M-50	1480	0.89	109.70
1184-8M-85	1184	1.21	154.78	1320-8M-85	1320	1.35	169.14	1480-8M-85	1480	1.51	186.55
1200-8M-20	1200	0.29	36.81	1328-8M-20	1328	0.32	40.00	1512-8M-20	1512	0.36	44.70
1200-8M-30	1200	0.43	55.22	1328-8M-30	1328	0.48	60.00	1512-8M-30	1512	0.55	67.07
1200-8M-50	1200	0.72	92.03	1328-8M-50	1328	0.80	100.00	1512-8M-50	1512	0.91	111.77
1200-8M-85	1200	1.23	156.47	1328-8M-85	1328	1.36	169.14	1512-8M-85	1512	1.55	190.00
1216-8M-20	1216	0.29	37.20	1344-8M-20	1344	0.32	40.39	1520-8M-20	1520	0.37	44.91
1216-8M-30	1216	0.44	55.82	1344-8M-30	1344	0.48	60.60	1520-8M-30	1520	0.55	67.37
1216-8M-50	1216	0.73	93.02	1344-8M-50	1344	0.81	100.99	1520-8M-50	1520	0.91	112.28
1216-8M-85	1216	1.24	158.15	1344-8M-85	1344	1.37	171.68	1520-8M-85	1520	1.55	190.86
1224-8M-20	1224	0.29	37.41	1360-8M-20	1360	0.33	40.82	1536-8M-20	1536	0.37	45.34
1224-8M-30	1224	0.44	56.12	1360-8M-30	1360	0.49	61.25	1536-8M-30	1536	0.55	67.97
1224-8M-50	1224	0.74	93.49	1360-8M-50	1360	0.82	102.11	1536-8M-50	1536	0.92	113.32
1224-8M-85	1224	1.25	158.97	1360-8M-85	1360	1.39	173.58	1536-8M-85	1536	1.57	192.63
1248-8M-20	1248	0.30	38.02	1392-8M-20	1392	0.33	41.59	1552-8M-20	1552	0.37	45.73
1248-8M-30	1248	0.45	56.98	1392-8M-30	1392	0.50	62.41	1552-8M-30	1552	0.56	68.62
1248-8M-50	1248	0.75	95.00	1392-8M-50	1392	0.84	104.05	1552-8M-50	1552	0.93	114.35
1248-8M-85	1248	1.28	161.47	1392-8M-85	1392	1.42	176.85	1552-8M-85	1552	1.59	194.44
1256-8M-20	1256	0.30	38.19	1400-8M-20	1400	0.34	41.81	1568-8M-20	1568	0.38	46.16
1256-8M-30	1256	0.45	57.28	1400-8M-30	1400	0.51	62.72	1568-8M-30	1568	0.57	69.27
1256-8M-50	1256	0.76	95.47	1400-8M-50	1400	0.84	104.53	1568-8M-50	1568	0.94	115.43
1256-8M-85	1256	1.28	162.33	1400-8M-85	1400	1.43	177.72	1568-8M-85	1568	1.60	196.21
1264-8M-20	1264	0.30	38.41	1416-8M-20	1416	0.34	42.24	1576-8M-20	1576	0.38	46.38
1264-8M-30	1264	0.46	57.59	1416-8M-30	1416	0.51	63.32	1576-8M-30	1576	0.57	69.57
1264-8M-50	1264	0.76	95.99	1416-8M-50	1416	0.85	105.56	1576-8M-50	1576	0.95	115.95
1264-8M-85	1264	1.29	163.19	1416-8M-85	1416	1.45	179.48	1576-8M-85	1576	1.61	197.11
1280-8M-20	1280	0.31	38.79	1424-8M-20	1424	0.34	42.41	1600-8M-20	1600	0.38	47.03
1280-8M-30	1280	0.46	58.19	1424-8M-30	1424	0.51	63.62	1600-8M-30	1600	0.58	70.56
1280-8M-50	1280	0.77	96.98	1424-8M-50	1424	0.86	106.03	1600-8M-50	1600	0.96	117.59
1280-8M-85	1280	1.31	164.87	1424-8M-85	1424	1.46	180.26	1600-8M-85	1600	1.64	199.87
1304-8M-20	1304	0.31	39.40	1440-8M-20	1440	0.35	42.84	1648-8M-20	1648	0.40	48.28
1304-8M-30	1304	0.47	59.09	1440-8M-30	1440	0.52	64.27	1648-8M-30	1648	0.59	72.41
1304-8M-50	1304	0.78	98.49	1440-8M-50	1440	0.87	107.11	1648-8M-50	1648	0.99	120.69
1304-8M-85	1304	1.33	167.46	1440-8M-85	1440	1.47	182.11	1648-8M-85	1648	1.68	205.22
1312-8M-20	1312	0.32	39.61	1456-8M-20	1456	0.35	43.23	1680-8M-20	1680	0.40	49.14
1312-8M-30	1312	0.47	59.40	1456-8M-30	1456	0.53	64.87	1680-8M-30	1680	0.61	73.71
1312-8M-50	1312	0.79	98.97	1456-8M-50	1456	0.88	108.15	1680-8M-50	1680	1.01	122.84
1312-8M-85	1312	1.34	168.28	1456-8M-85	1456	1.49	183.45	1680-8M-85	1680	1.72	208.84
1320-8M-20	1320	0.32	39.78	1480-8M-20	1480	0.36	43.88	1696-8M-20	1696	0.41	49.57
1320-8M-30	1320	0.48	59.70	1480-8M-30	1480	0.53	65.82	1696-8M-30	1696	0.61	74.35

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



8.0 mm Pitch (8M)

POWERSINC HT TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
1696-8M-50	1696	1.02	123.92	2000-8M-50	2000	1.20	144.74	2304-8M-50	2304	1.39	166.38
1696-8M-85	1696	1.73	210.65	2000-8M-85	2000	2.04	246.08	2304-8M-85	2304	2.36	282.84
1728-8M-20	1728	0.42	50.43	2056-8M-20	2056	0.49	59.48	2392-8M-20	2392	0.58	69.14
1728-8M-30	1728	0.62	75.65	2056-8M-30	2056	0.74	89.18	2392-8M-30	2392	0.86	103.66
1728-8M-50	1728	1.04	126.08	2056-8M-50	2056	1.24	148.66	2392-8M-50	2392	1.44	172.80
1728-8M-85	1728	1.77	214.31	2056-8M-85	2056	2.10	252.72	2392-8M-85	2392	2.45	293.75
1760-8M-20	1760	0.42	51.29	2080-8M-20	2080	0.50	60.13	2400-8M-20	2400	0.58	69.35
1760-8M-30	1760	0.64	76.94	2080-8M-30	2080	0.75	90.22	2400-8M-30	2400	0.87	104.05
1760-8M-50	1760	1.06	128.23	2080-8M-50	2080	1.25	150.34	2400-8M-50	2400	1.44	173.41
1760-8M-85	1760	1.80	218.02	2080-8M-85	2080	2.13	255.60	2400-8M-85	2400	2.45	294.78
1784-8M-20	1784	0.43	51.29	2104-8M-20	2104	0.51	60.82	2504-8M-20	2504	0.60	72.41
1784-8M-30	1784	0.64	76.94	2104-8M-30	2104	0.76	91.25	2504-8M-30	2504	0.90	108.62
1784-8M-50	1784	1.07	128.23	2104-8M-50	2104	1.27	152.07	2504-8M-50	2504	1.51	181.08
1784-8M-85	1784	1.82	218.02	2104-8M-85	2104	2.15	258.49	2504-8M-85	2504	2.56	307.80
1792-8M-20	1792	0.43	52.16	2136-8M-20	2136	0.51	61.72	2600-8M-20	2600	0.63	75.30
1792-8M-30	1792	0.65	78.23	2136-8M-30	2136	0.77	92.59	2600-8M-30	2600	0.94	104.05
1792-8M-50	1792	1.08	130.39	2136-8M-50	2136	1.28	154.31	2600-8M-50	2600	1.56	173.41
1792-8M-85	1792	1.83	221.64	2136-8M-85	2136	2.18	262.33	2600-8M-85	2600	2.66	294.78
1800-8M-20	1800	0.43	52.37	2160-8M-20	2160	0.52	93.62	2736-8M-20	2736	0.66	79.40
1800-8M-30	1800	0.65	78.58	2160-8M-30	2160	0.78	93.62	2736-8M-30	2736	0.99	119.09
1800-8M-50	1800	1.08	130.95	2160-8M-50	2160	1.30	156.03	2736-8M-50	2736	1.65	198.45
1800-8M-85	1800	1.84	222.59	2160-8M-85	2160	2.21	265.26	2736-8M-85	2736	2.80	337.41
1856-8M-20	1856	0.45	53.92	2200-8M-20	2200	0.53	63.53	2800-8M-20	2800	0.67	81.34
1856-8M-30	1856	0.67	80.86	2200-8M-30	2200	0.79	95.34	2800-8M-30	2800	1.01	121.98
1856-8M-50	1856	1.12	134.74	2200-8M-50	2200	1.32	158.88	2800-8M-50	2800	1.68	203.32
1856-8M-85	1856	1.90	229.09	2200-8M-85	2200	2.25	270.13	2800-8M-85	2800	2.86	345.69
1896-8M-20	1896	0.46	55.00	2208-8M-20	2208	0.53	63.79	3048-8M-20	3048	0.73	89.01
1896-8M-30	1896	0.68	82.50	2208-8M-30	2208	0.80	95.69	3048-8M-30	3048	1.10	133.49
1896-8M-50	1896	1.14	137.50	2208-8M-50	2208	1.33	159.48	3048-8M-50	3048	1.83	222.50
1896-8M-85	1896	1.94	233.75	2208-8M-85	2208	2.26	271.08	3048-8M-85	3048	3.12	378.23
1904-8M-20	1904	0.46	55.22	2240-8M-20	2240	0.54	64.70	3120-8M-20	3120	0.75	91.25
1904-8M-30	1904	0.69	82.84	2240-8M-30	2240	0.81	97.07	3120-8M-30	3120	0.77	136.90
1904-8M-50	1904	1.15	138.06	2240-8M-50	2240	1.35	161.77	3120-8M-50	3120	1.88	228.15
1904-8M-85	1904	1.95	234.70	2240-8M-85	2240	2.29	275.00	3120-8M-85	3120	3.19	387.80
1936-8M-20	1936	0.47	56.12	2272-8M-20	2272	0.55	65.65	3160-8M-20	3160	0.76	92.76
1936-8M-30	1936	0.70	84.18	2272-8M-30	2272	0.82	98.45	3160-8M-30	3160	1.14	139.14
1936-8M-50	1936	1.16	140.26	2272-8M-50	2272	1.37	164.05	3160-8M-50	3160	1.90	231.90
1936-8M-85	1936	1.98	238.45	2272-8M-85	2272	2.32	278.92	3160-8M-85	3160	3.23	394.22
2000-8M-20	2000	0.48	57.89	2304-8M-20	2304	0.55	66.55	3200-8M-20	3200	0.77	93.79
2000-8M-30	2000	0.72	86.85	2304-8M-30	2304	0.83	99.83	3200-8M-30	3200	1.15	140.65

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



8.0 mm Pitch (8M)

POWERSINC HT TIMING BELT



Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
3200-8M-50	3200	1.92	234.44	3280-8M-85	3280	3.35	409.31	3600-8M-20	3600	0.87	106.64
3200-8M-85	3280	1.97	398.53	3400-8M-20	3400	0.82	100.17	3600-8M-30	3600	1.30	159.96
3280-8M-20	3280	0.79	96.29	3400-8M-30	3400	1.23	150.22	3600-8M-50	3600	2.17	250.39
3280-8M-30	3280	1.18	144.48	3400-8M-50	3400	2.04	250.39	3600-8M-85	3600	3.68	453.19
3280-8M-50	3280	1.97	240.78	3400-8M-85	3400	3.48	425.65				

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



14.0 mm Pitch (14M)

POWERSINC HT TIMING BELT




Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
966-14M-20	966	0.43	85.00	1778-14M-50	1778	1.96	308.41	2800-14M-20	2800	1.24	173.19
966-14M-30	966	0.64	127.54	1778-14M-85	1778	3.33	524.27	2800-14M-30	2800	1.85	259.83
966-14M-50	966	1.07	212.54	1890-14M-20	1890	0.83	128.75	2800-14M-50	2800	3.09	433.02
966-14M-85	966	1.81	361.29	1890-14M-30	1890	1.25	193.10	2800-14M-85	2800	5.25	736.12
1190-14M-20	1190	0.53	95.47	1890-14M-50	1890	2.08	321.85	3150-14M-20	3150	1.39	190.60
1190-14M-30	1190	0.79	143.19	1890-14M-85	1890	3.54	547.16	3150-14M-30	3150	2.08	285.91
1190-14M-50	1190	1.31	238.66	2002-14M-20	2002	0.88	134.14	3150-14M-50	3150	3.47	476.51
1190-14M-85	1190	2.23	405.69	2002-14M-30	2002	1.32	201.21	3150-14M-85	3150	5.90	810.04
1330-14M-20	1330	0.59	102.03	2002-14M-50	2002	2.21	335.39	3304-14M-20	3304	1.46	198.32
1330-14M-30	1330	0.88	153.06	2002-14M-85	2002	3.75	570.13	3304-14M-30	3304	2.19	297.46
1330-14M-50	1330	1.47	255.13	2100-14M-20	2100	0.93	138.88	3304-14M-50	3304	3.64	495.78
1330-14M-85	1330	2.49	433.71	2100-14M-30	2100	1.39	208.36	3304-14M-85	3304	6.19	842.80
1400-14M-20	1400	0.62	105.34	2100-14M-50	2100	2.32	347.24	3360-14M-20	3360	1.48	201.12
1400-14M-30	1400	0.93	158.02	2100-14M-85	2100	3.94	590.30	3360-14M-30	3360	2.22	301.68
1400-14M-50	1400	1.54	263.36	2310-14M-20	2310	1.02	149.14	3360-14M-50	3360	3.70	502.76
1400-14M-85	1400	2.62	447.76	2310-14M-30	2310	1.53	223.66	3360-14M-85	3360	6.30	854.74
1568-14M-20	1568	0.69	113.32	2310-14M-50	2310	2.55	372.80	3500-14M-20	3500	1.54	208.15
1568-14M-30	1568	1.04	170.00	2310-14M-85	2310	4.33	633.75	3500-14M-30	3500	2.32	312.20
1568-14M-50	1568	1.73	283.32	2450-14M-20	2450	1.08	155.95	3500-14M-50	3500	3.86	520.34
1568-14M-85	1568	2.94	481.64	2450-14M-30	2450	1.62	233.97	3500-14M-85	3500	6.56	884.61
1610-14M-20	1610	0.71	115.34	2450-14M-50	2450	2.70	372.80	3850-14M-20	3850	1.70	225.82
1610-14M-30	1610	1.07	172.97	2450-14M-85	2450	4.59	662.84	3850-14M-30	3850	2.55	338.75
1610-14M-50	1610	1.78	288.32	2590-14M-20	2590	1.14	162.84	3850-14M-50	3850	4.25	564.57
1610-14M-85	1610	3.02	490.13	2590-14M-30	2590	1.71	244.27	3850-14M-85	3850	7.22	959.74
1778-14M-20	1778	0.78	123.36	2590-14M-50	2590	2.86	407.11				
1778-14M-30	1778	1.18	185.04	2590-14M-85	2590	4.85	773.49				

Note: Weights are approximate and may be calculated.




F & F BEARING COMPANY



14.0 mm Pitch (14M)

POWERSINC HT TIMING BELT



Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price	Belt No.	O.C.L.	Lbs.	Price
4326-14M-20	4326	1.91	250.09	4956-14M-85	4956	9.29	1200.56	6160-14M-50	6160	6.79	863.41
4326-14M-30	4326	2.86	375.09	5320-14M-20	5320	2.35	301.38	6160-14M-85	6160	11.55	1467.80
4326-14M-50	4326	4.77	625.17	5320-14M-30	5320	3.52	452.07	6860-14M-20	6860	3.03	382.41
4326-14M-85	4326	8.11	1062.80	5320-14M-50	5320	5.87	753.45	6860-14M-30	6860	4.54	573.62
4578-14M-20	4578	2.02	262.97	5320-14M-85	5320	9.97	1280.86	6860-14M-50	6860	7.56	956.08
4578-14M-30	4578	3.03	394.48	5740-14M-20	5740	2.53	323.32	6860-14M-85	6860	12.86	1625.30
4578-14M-50	4578	5.05	657.50	5740-14M-30	5740	3.80	484.96	8120-14M-20	8120	3.58	449.96
4578-14M-85	4578	8.58	1117.70	5740-14M-50	5740	6.33	808.28	8120-14M-30	8120	5.37	674.91
4956-14M-20	4956	2.19	282.50	5740-14M-85	5740	10.76	1374.05	8120-14M-50	8120	8.95	1124.90
4956-14M-30	4956	3.28	423.75	6160-14M-20	6160	2.72	345.39	8120-14M-85	8120	15.22	1912.30
4956-14M-50	4956	5.46	706.21	6160-14M-30	6160	4.08	518.06				

Note: Weights are approximate and may be calculated.



TERMS & CONDITIONS

- F&F T&C 1** All products are warranted to be free of defects in workmanship, material, and quality. Defective products will be replaced free of charge as long as belts are used for the proper application and in a reasonable amount of time.
- F&F T&C 2** There will be free freight on all orders over \$350.00.
- F&F T&C 3** There is no minimum order.
- F&F T&C 4** Business Reliability: F & F Bearing Company has been in business since 1995. Our company is committed to represent our product by having the best service in the market place. Our company is recognized with an excellent reputation around the world.



Questions and Answers: 419-524-1700

or

Email to: jzd32n@yahoo.com

NOTES:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on the right side, suggesting it's resting on a surface. There is no handwriting or other markings on the paper.





F&F Bearing Co. LLC.

**201 E. Fifth Street
Mansfield, Ohio 44902
Phone: 419-524-1700**

**Web: www.ffbearingco.com
Email: rcarmona@ffbearingco.com**

